

TABLE A-1
BEARING CAPACITY FACTORS FOR DEEP FOUNDATIONS "

ϕ	I_r									
	10	20	40	60	80	100	200	300	400	500
0	6.97 1.00	7.90 1.00	8.82 1.00	9.36 1.00	9.75 1.00	10.04 1.00	10.97 1.00	11.51 1.00	11.89 1.00	12.19 1.00
1	7.34 1.13	8.37 1.15	9.42 1.16	10.04 1.18	10.49 1.18	10.83 1.19	11.92 1.21	12.57 1.22	13.03 1.23	13.39 1.23
2	7.72 1.27	8.87 1.31	10.06 1.35	10.77 1.38	11.28 1.39	11.69 1.41	12.96 1.45	13.73 1.48	14.28 1.50	14.71 1.51
3	8.12 1.43	9.40 1.49	10.74 1.56	11.55 1.61	12.14 1.64	12.61 1.66	14.10 1.74	15.00 1.79	15.66 1.82	16.18 1.85
4	8.54 1.60	9.96 1.70	11.47 1.80	12.40 1.87	13.07 1.91	13.61 1.95	15.34 2.07	16.40 2.15	17.18 2.20	17.80 2.24
5	8.99 1.79	10.56 1.92	12.25 2.07	13.30 2.16	14.07 2.23	14.69 2.28	16.69 2.46	17.94 2.57	18.86 2.65	19.59 2.71
6	9.45 1.99	11.19 2.18	13.08 2.37	14.26 2.50	15.14 2.59	15.85 2.67	18.17 2.91	19.62 3.06	20.70 3.18	21.56 3.27
7	9.94 2.22	11.85 2.46	13.96 2.71	15.30 2.88	16.30 3.00	17.10 3.10	19.77 3.43	12.46 3.63	22.71 3.79	23.73 3.91
8	10.45 2.47	12.55 2.76	14.90 3.09	16.41 3.31	17.54 3.46	18.45 3.59	21.51 4.02	23.46 4.30	24.93 4.50	26.11 4.67
9	10.99 2.74	13.29 3.11	15.91 3.52	17.59 3.79	18.87 3.99	19.90 4.15	23.39 4.70	25.64 5.06	27.35 5.33	28.73 5.55
10	11.55 3.04	14.08 3.48	16.97 3.99	18.86 4.32	20.29 4.58	21.46 4.78	25.43 5.48	28.02 5.94	29.99 6.29	31.59 6.57
11	12.14 3.36	14.90 3.90	18.10 4.52	20.20 4.93	21.81 5.24	23.13 5.50	27.64 6.37	30.61 6.95	32.87 7.39	34.73 7.75
12	12.76 3.71	15.77 4.35	19.30 5.10	21.64 5.60	23.44 5.98	24.92 6.30	30.03 7.38	33.41 8.10	36.02 8.66	38.16 9.11
13	13.41 4.09	16.69 4.85	20.57 5.75	23.17 6.35	25.18 6.81	26.84 7.20	32.60 8.53	36.46 9.42	39.44 10.10	41.89 10.67
14	14.08 4.51	17.65 5.40	21.92 6.47	24.80 7.18	27.04 7.74	28.89 8.20	35.38 9.82	39.75 10.91	43.15 11.76	45.96 12.46
15	14.79 4.96	18.66 6.00	23.35 7.26	26.53 8.11	29.02 8.78	31.08 9.33	38.37 11.28	43.32 12.61	47.18 13.64	50.39 14.50
16	15.53 5.45	19.73 6.66	24.86 8.13	28.37 9.14	31.13 9.93	33.43 10.58	41.58 12.92	47.17 14.53	51.55 15.78	55.20 16.83
17	16.30 5.98	20.85 7.37	26.46 9.09	30.33 10.27	33.37 11.20	35.92 11.98	45.04 14.77	51.32 16.69	56.27 18.20	60.42 19.47
18	17.11 6.56	22.03 8.16	28.15 10.15	32.40 11.53	35.76 12.62	38.59 13.54	48.74 16.84	55.80 19.13	61.38 20.94	66.07 22.47
19	17.95 7.18	23.26 9.01	29.93 11.31	34.59 12.91	38.30 14.19	41.42 15.26	52.71 19.15	60.61 21.87	66.89 24.03	72.18 25.85
20	18.83 7.85	24.56 9.94	31.81 12.58	36.92 14.44	40.99 15.92	44.43 17.17	56.97 21.73	65.79 24.94	72.82 27.51	78.78 29.67
21	19.75 8.58	25.92 10.95	33.80 13.97	39.38 16.12	43.85 17.83	47.64 19.29	61.51 24.61	71.34 28.39	79.22 31.41	85.90 33.97
22	20.71 9.37	27.35 12.05	35.89 15.50	41.98 17.96	46.88 19.94	51.04 21.62	66.37 27.82	77.30 32.23	86.09 35.78	93.57 38.81
23	21.71 10.21	28.84 13.24	38.09 17.17	44.73 19.99	50.08 22.26	54.66 24.20	71.56 31.37	83.68 36.52	93.47 40.68	101.83 44.22
24	22.75 11.13	30.41 14.54	40.41 18.99	47.63 22.21	53.48 24.81	58.49 27.04	77.09 35.32	90.51 41.30	101.39 46.14	110.70 50.29
25	23.84 12.12	32.05 15.95	42.85 20.98	50.69 24.64	57.07 27.61	62.54 30.16	82.98 39.70	97.81 46.61	109.88 52.24	120.23 57.06

— N_{c0}^*
— N_{c0}^*

ϕ	I_r									
	10	20	40	60	80	100	200	300	400	500
26	24.98	33.77	45.42	53.93	60.87	66.84	89.25	105.61	118.96	130.44
	13.18	17.47	23.15	27.30	30.69	33.60	44.53	52.51	59.02	64.62
27	26.16	35.57	48.13	57.34	64.88	71.39	95.02	113.92	128.67	141.39
	14.33	19.12	25.52	30.21	34.06	37.37	49.88	59.05	66.56	73.04
28	27.40	37.45	50.96	60.93	69.12	76.20	103.01	122.79	139.04	153.10
	15.57	20.91	28.10	33.40	37.75	41.51	55.77	66.29	74.93	82.40
29	28.69	39.42	53.95	64.71	73.58	81.28	110.54	132.23	150.11	165.61
	16.90	22.85	30.90	36.87	41.79	46.05	62.27	74.30	84.21	92.80
30	30.03	41.49	57.08	68.69	78.30	86.64	118.53	142.27	161.91	178.98
	18.24	24.95	33.95	40.66	46.21	51.02	69.43	83.14	94.48	104.33
31	31.43	43.64	60.37	72.88	83.27	92.31	126.99	152.95	174.49	193.23
	19.88	27.22	37.27	44.79	51.03	56.46	77.31	92.90	105.84	117.11
32	32.89	45.90	63.82	77.29	88.50	98.28	135.96	164.29	187.87	208.43
	21.55	29.68	40.88	49.30	56.30	62.41	85.96	103.66	118.39	131.24
33	34.41	48.26	67.44	81.92	94.01	104.58	145.46	176.33	202.09	224.62
	23.34	32.34	44.80	54.20	62.05	68.92	95.46	115.51	132.24	146.87
34	35.99	50.72	71.24	86.80	99.82	111.22	155.51	189.11	217.21	241.84
	25.28	35.21	49.05	59.54	68.33	76.02	105.90	128.55	147.51	164.12
35	37.65	53.30	75.22	91.91	105.92	118.22	166.14	202.64	233.27	260.15
	27.36	38.32	53.67	65.36	75.17	83.78	117.33	142.89	164.33	183.16
36	39.37	55.99	79.39	97.29	112.34	125.59	177.38	216.98	250.30	279.60
	29.60	41.68	58.68	71.69	82.62	92.24	129.87	158.65	182.85	204.14
37	41.17	58.81	83.77	102.94	119.10	133.34	189.25	232.17	268.36	300.26
	32.02	45.31	64.13	78.57	90.75	101.48	143.61	175.95	203.23	227.26
38	43.04	61.75	88.36	108.86	126.20	141.50	201.78	248.23	287.50	322.17
	34.63	49.24	70.03	86.05	99.60	111.56	158.65	194.94	225.62	252.71
39	44.99	64.83	93.17	115.09	133.66	150.09	215.01	265.23	307.78	345.41
	37.44	53.50	76.45	94.20	109.24	122.54	175.11	215.78	250.23	280.71
40	47.03	68.04	98.21	121.62	141.51	159.13	228.97	283.19	329.24	370.04
	40.47	58.10	83.40	103.05	119.74	134.52	193.13	238.62	277.26	311.50
41	49.16	71.41	103.49	128.48	149.75	168.63	243.69	302.17	351.95	396.12
	43.74	63.07	90.96	112.68	131.18	147.59	212.84	263.67	306.94	345.34
42	51.38	74.92	109.02	135.68	158.41	178.62	259.22	322.22	375.97	423.74
	47.27	68.46	99.16	123.16	143.64	161.83	234.40	291.13	339.52	382.53
43	53.70	78.60	114.82	143.23	167.51	189.13	275.59	343.40	401.36	452.96
	51.08	74.30	108.08	134.56	157.21	177.36	257.99	321.22	375.28	423.39
44	56.13	82.45	120.91	151.16	177.07	200.17	292.85	365.75	428.21	483.88
	55.20	80.62	117.76	146.97	172.00	194.31	283.80	354.20	414.51	468.28
45	58.66	86.48	127.28	159.48	187.12	211.79	311.04	389.35	456.57	516.58
	59.66	87.48	128.28	160.48	188.12	212.79	312.03	390.35	457.57	517.58
46	61.30	90.70	133.97	168.22	197.67	224.00	330.20	414.26	486.54	551.16
	64.48	94.92	139.73	175.20	205.70	232.96	342.94	429.98	504.82	571.74
47	64.07	95.12	140.99	177.40	208.77	236.85	350.41	440.54	518.20	587.72
	69.71	103.00	152.19	191.24	224.88	254.99	376.77	473.42	556.70	631.25
48	66.97	99.75	148.35	187.04	220.43	250.36	371.70	468.28	551.64	626.36
	75.38	111.78	165.76	208.73	245.81	279.06	413.82	521.08	613.65	696.64
49	70.01	104.60	156.09	197.17	232.70	264.58	394.15	497.56	586.96	667.21
	81.54	121.33	180.56	227.82	268.69	305.37	454.42	573.38	676.22	768.53
50	73.19	109.70	164.21	207.83	245.60	279.55	417.82	528.46	624.28	710.39
	88.23	131.73	196.70	248.68	293.70	334.15	498.94	630.80	744.99	847.61

* Upper number N_{c}^* , lower number N_{q}^* .

TABLE A-2
TYPICAL VALUES OF RIGIDITY INDEX, I_r

(a) sands and silts

Soil	Relative density D_r	Mean Normal stress level σ_o (kg/cm ²)	Rigidity index I_r	Source
Chattahoochee sand	80%	0.1	200	Vesić and Clough (1968)
		1	118	
10	52			
100	12			
	20%	0.1	140	
		1	85	
Ottawa sand	82%	0.05	265	Roy (1956)
	21%	0.05	89	
Piedmont silts		0.70	10-30	Vesić (1972)

(b) clays (undrained conditions)

Soil	Plasticity index I_p	Water content	OC ratio	Effective stress level σ_o (kg/cm ²)	Rigidity index I_r	Source
Weald clay	25	23.1%	1	2.1	99	Ladanyi (1963)
		22.5%	24	0.35	10	
Drammen clay	19	24.9%	1	1.5	267	
		25.1%		259		
		27.2%		233		
Lagunillas clay	50	65%*	1	6.5	390	
				4.0	300	

*prior to consolidation