

A photograph of Edinburgh Castle, Scotland, perched on a rocky cliffside. In the foreground, there is a large, multi-story stone building with many windows. The sky is blue with some clouds. A Union Jack flag is visible on a pole atop the castle.

446.326A CAD/CAM

Design for X (DFX)

November 25, 2009

Prof. Sung-Hoon Ahn (安成勳)

School of Mechanical and Aerospace Engineering
Seoul National University

<http://fab.snu.ac.kr>

ahnsh@snu.ac.kr

Photo copyright: Sung-Hoon Ahn

Outline

Introduction to DFX
Design for Manufacturing
Design of Experiment
Design for Assembly
Design for Environment
Other DFX
Case Studies

Photo copyright: Sung-Hoon Ahn

Introduction of DFX



- Success in product manufacturing requires integration between the various phases of the product life cycle.


– Ulrich and Eppinger, 1995

- One of the key aspects of integration during the design process is “Design for X (DFX)”
 - Design for Manufacturing (DFM)
 - Design for Assembly (DFA)
 - Design for Disassembly (DFDA)
 - Design for Environment (DFE)

•
•
•


1. Design for Manufacturing (DFM)

- Traditional Design and Manufacturing Process



1. Design for Manufacturing (cont.)


- Paradigms of DFM
 - Design decision affects manufacturing cost and productivity
 - Designers play important role not only in shaping, but also in manufacturability, cost, and life cycle of products




1. Design for Manufacturing (cont.)

- Objectives of DFM

- Identify product concepts which are inherently easy to manufacture
- Design components for ease of manufacture.
- Integrate product and process design to ensure an optimum combination of function and manufacturability.



< Costs of change vs. time >



< Design completeness vs. time >

History of DFM I




- Eli Whitney (19C)
 - Musket (gun) manufacturer
 - Redesign each part to a specific *dimension* with a limited *tolerance*
 - Using fixtures, gauges, and specially developed machines, each part could be made by semi-skilled workers (instead of expert artisans) at a faster and less costly rate
 - Changed manufacturing process of parts from sand casting to forging resulted in increased accuracy



History of DFM I (cont.)



- Whitney's Musket




History of DFM II



- Henry Ford (1907)
 - Lower cost from standard parts
 - Simple part design
 - Mass production

- *Conveyor system*
 - Price reduction
 - \$2000/car → \$350/car
 - 1908~1927: 15 million cars sold



DFM category



- General
- Process specific
- Product specific
- Design for Assembly (DFA)


General principles of DFM




- Minimum number of parts
- Standard parts
- Modular design
- Multi-functional parts
- The same parts to various products
- Maximum surface roughness and tolerance
- Avoid secondary process
- Use materials easy to manufacture
- Consider number of parts to be manufactured
- Avoid many components
- Minimize handling of parts

General principles of DFM (cont.)

- Per part cost




- Manufacturing Time vs. Surface Roughness



Fabrication of Microchip - I



- Microchip for capillary electrophoresis
 - Typical micro component of μ -TAS (Micro Total Analysis System)
 - Dimensions of micro chip
 - Channel width: $200\ \mu\text{m}$
 - Channel height: $300\ \mu\text{m}$
 - Reservoir diameter: 1 mm
 - Reservoir 2 – 4 : 45 mm
 - Reservoir 1 – 3 : 10 mm
- Fabrication via direct machining
 - Machining with $\varnothing 200\ \mu\text{m}$ endmill on PMMA
 - Machining conditions
 - Feed rate: 0.1 mm/s
 - Spindle speed: 30,000 rpm
 - Depth of cut: $30\ \mu\text{m}$
 - Machining time: 51 min
 - Prototype within $2\ \mu\text{m}$ dimensional error



The 2-D Drawing of Microchip

- ➔ Reservoir 1 -4
 - Reservoir 1: buffer reservoir
 - Reservoir 2: Sample injection
 - Reservoir 3: Sample waste
 - Reservoir 4: Separation channel



Microchip by direct machining

Comparison of processes



(a) PR patterning on silicon

1h
\$6.65



(b) Silicon DRIE for channel

1 hr
\$102.66



(c) Hot embossing with PMMA

5 min
\$42.78



(d) Detaching the silicon mold

30 min
\$6.65



(d) PMMA plate fusion bonding

30 min

- Easy to crack (brittle mold)
- Short life time of mold
- Detach problem

Hot Embossing / Si mold



(a) PR patterning on silicon

30 min
\$6.65



(b) Silicon DRIE for channel

1 min
\$102.66



(c) Oxide deposition on backside

30 min
\$14.26



(d) Ti / Au sputtering

1 hr
\$28.52



(d) Ni electroplating

8 – 10 hr
\$165.4



(e) Ti/Au/Silicon removal (TMAH / HF)

30 min
\$30



(f) Hot embossing with PMMA

5 min
\$42.78




(d) Detaching the Ni mold

30 min
\$6.65


- High cost / long time / complicated process

Hot Embossing / Ni mold




(a) CAD modeling

15 min




(b) Tool path generate

15 min



(c) Machining

1 hr



(d) Injection molding

15 min

- Rapid and cheap manufacturing

Injection Molding




Fabrication of Microchip - II



- Injection molding

- Mold machining

- Mold size: 150mm×150mm×20mm
 - Roughing: $\phi 4$ mm, 30,000 rpm, 1 mm/s, 0.1mm DOC (1 hr 7 min)
 - Finishing: $\phi 200 \mu\text{m}$, 30,000 rpm, 0.1mm/s, $10 \mu\text{m}$ DOC (32min)



CAD Modeling of Injection Mold and Fabricated Microchip


- Injection molding machine

- PMMA pellet : IF-850 (LG MMA)
 - Morgan press G-100T (Vertical type)
 - Nozzle and barrel temperature: 210 °C
 - Clamping force: 14,000 lbf
 - Injection pressure: 6,000 psi (41MPa)

Fabrication of Microchip - III



- Dimensional tolerance of each microchips





Fabrication of Microchip - IV





- Cross sections


Direct
Machined Chip



Injection
Molded Chip



MEMS Chip



➔ Reference

- Kim, M. S. and Kim, Y. G., "Fabrication of microchip electrophoresis devices and effects of channel surface properties on separation efficiency" , Sensors and Actuators B, 2005.


Evaluation of Cost



- Cost Estimation

- Total cost of mechanical micro machining: $C_{total} = C_w + C_p + C_m + C_t$

Total Cost of Mechanical Micro Machining



Evaluation of Cost - II



Cost Evaluation

- B_m (Indirect cost)

$$B_m = M_t + M_t \left(\frac{\text{machine_overhead}[\%]}{100} \right)$$

- M_t (Depreciation rate)

$$M_t = \left(\frac{\text{initial_purchase_cost_of_machine}}{\text{working_hours} \times \text{repayment_period}} \right)$$

- Tool life of macro scale

$$T = \left(\frac{C}{V} \right)^{\frac{1}{n}} \quad \begin{array}{l} C, n: \text{empirical constant} \\ V: \text{cutting speed} \end{array}$$


- Reference of rental fee (MEMS)
 - Inter-university Semiconductor Research Center (SNU)

Item	Direct machining		Injection molding		MEMS
C_w	PMMA	\$0.02	Al	\$7.78	Wafer
C_p	T_p	10 min	$T_{p,machining}$	10 min	\$28.52
	T_p		$T_{p,injection}$	30 min	
	W	\$2.37 /hr	W	\$2.37/hr	PR
Subtotal		\$0.4		\$1.58	patterning
C_m	T_m	51 min	$T_{m,roughing}$	67 min	\$6.65
	T_m		$T_{m,finishing}$	32 min	Mask
	T_m		$T_{m,injection}$	1 min	\$266
	M_t	\$1.81	$M_{t,machining}$	\$1.81	DRIE
	M_t		$M_{t,injection}$	\$0.48	\$96.05
	B_m	\$5.42	$B_{m,machining}$	\$5.42	
C_m	B_m		$B_{m,injection}$	\$1.43	Oxidation
	W	\$2.37 /hr	W	\$2.37/hr	\$14.26
	Subtotal		\$6.62	\$15.36	
C_t	y	\$43 /ea	$y_{roughing}$	\$4/ea	Ti/Au
	y		$y_{finishing}$	\$43/ea	sputtering
	T_m	51 min	$T_{m,roughing}$	67 min	\$28.52
	T_m		$T_{m,finishing}$	32 min	Ni electro-
	C	600	$C_{roughing}$	600	plating
	C		$C_{finishing}$	-	\$165.4
C_t	V	300m/min	$V_{roughing}$	300m/min	Si/Au/Ti
	V		$V_{finishing}$	-	removal
	n	0.14	$n_{roughing}$	0.14	\$28.53
C_t	n		$n_{finishing}$	-	
	T	9hr: at 0.1mm/s	$T_{roughing}$	141min	Total
C_t	T		$T_{finishing}$	545min	\$632.92
	Subtotal		\$4	\$4.65	/4ea
Total		\$11.04/ea		\$29.37/ea	\$158.23/ea

Evaluation of Cost - III



- Per part cost of mass production
- Cost of injection molding
 - Batch size: 1000 unit per 1 mold
 - Mass production cost of 1000 unit
 - Material cost: $\$0.02 \times 1,000 = \20
 - Injection molding: $C_{m,injection} = T_{m,injection}(B_m + W) = 2.7 \times (1.43 + 2.37) = \10.26
 - $C_{total,1000ea} = C_{total,1part} + 10.26 = 29.37 + (20 + 10.26) = \underline{\$ 59.63}$
 - Therefore, per part cost = $\$0.06$



MAS



- Manufacturing Advisory Service
- DFM at conceptual design stage
 - Suggestion of manufacturing processes
 - Suggestion of materials

Process Search	R-Rank	Requirement List	R-Value	O-Rank	Option List
Material Search	Ig	Batch Size	Ignore		CyberCutMilling
Results Survey	Ig	Shape	Ignore		m3 pseudo die casting
	Ig	Bouding Box	39.0		Injection Molding
	Ig	Material	Ignore		Closed Die Forging
Get Info	Ig	Dimension Tol	Ignore		Sand Casting
Run Calcs	Ig	Surface Rough	Ignore		Sheet Metal Forming
Preferences	Ig	Wall Thickness	Ignore		Stereolithography
Set Facet Weights	Ig	Prod Rate	Ignore		Extrusion
Sample Parts	Ig	Setup Time	Ignore		TransferLine
Ignore Facet	Ig	Setup Cost	Ignore		JobShopMachining
Manufacturing	Ig	Per Part Cost	Ignore		PressureDieCasting
Analysis					ShellMoldCasting
Service					InvestmentCasting
Reset					Thermoforming

Not all process/materials can be combined.

The following links open a NEW WINDOW:



- [Manufacturing Analysis Tutorial](#)
Step by step guide that gives you a tour of the main features of the MAS.
- [Instruction Manual](#)
Learn what all of the buttons do, and what the MAS can *not* do.
- [Facet Descriptions](#)
Documents the meanings of all of the process and material facets, including descriptions of the advanced mode, if applicable.
- [Material Descriptions](#)
Documents the materials search possibilities, displaying the material properties spread, listing some general information regarding the pros/cons, and listing some typical applications.
- [Original MAS](#)
Original project by Simon Brown and Paul Wright's ME 122 class.

Process specific DFM



■ Machining

■ Drilling




Web-based DFM systems - MIMS



- Micro Machining System
- To bridge design and manufacturing
 - Guaranteed manufacturability
 - 3 axis micro milling
 - Design for Manufacturing (DFM)
 - Shared information and resources
 - Faster product development
 - Lower prototyping cost

Web-based DFM systems - MIMS

- Architecture
 - Web-based system



Web-based DFM systems - MIMS



- DFM in machining: User Level

- Expert mode:

- 16 parameters
 - Max. control


- Novice mode:

- 2 parameters
 - Roughing
 - Tool diameter
 - Easy interface

	Novice	Expert
Cut Mode		<input type="radio"/>
Plane Normal		<input type="radio"/>
Pattern Type		<input type="radio"/>
Tool Diameter	<input type="radio"/>	<input type="radio"/>
Path Interval		<input type="radio"/>
Cutting Tolerance		<input type="radio"/>
Surface Offset		<input type="radio"/>
Start Point		<input type="radio"/>
Clearance Height		<input type="radio"/>
Approach and Exit Type		<input type="radio"/>
Path Connection		<input type="radio"/>
Linking Tolerance		<input type="radio"/>
Feed Rate		<input type="radio"/>
Spindle Speed		<input type="radio"/>
Boundary Machining		<input type="radio"/>
Roughing	<input type="radio"/>	<input type="radio"/>

Web-based DFM systems - MIMS

- DFM: Thin Client UI
 - HTML form
 - Tool database
 - Interpolation tolerance $1\ \mu\text{m}$



MIMS
MICROMACHINING
SERVICE

introduction design consideration example manufacturing downloads references contact

MANUFACTURING

STEP 1 model upload **STEP 2 input parameters** STEP 3 result

Cut Mode: (Now only SCANNING available)

Input Model: **plate_b(17).stl**
Check your uploaded model's name.
(It can be changed because of the same name)

Plane Normal: X Y Z

Pattern type:

Tool diameter:

Path interval:

Cutting tolerance:

Surface offset:

Start point (x, y, z): X Y Z

Clearance height: Type Value

Approach height (Incremental):

Approach exit type:
Approach Length Exit Length

Path connection [D/R/J]:

Linking tolerance: (between path and path)

Feed rate: Surface Approach First
Last Connection

Spindle speed: (rev/min)


Boundary machining: Yes No

Roughing: Yes No


Input for roughing: Stock Height Axial Cutting Depth

Web-based DFM systems - MIMS

- DFM: NC Code Simulation



Scanning




Pencil Cut

Issues in micro regime


- ✓ Run-out
- ✓ Tolerance of software

Web-based DFM systems - SmartFab

- Works in SolidWorks during channel or pocket modeling
- Sketch Validation
 - Improve machinability
 - Based on the tool information and DFM philosophy



Check for minimum Gap



Check for fillet

Web-based DFM systems - SmartFab

- Pocket Validation







Fig 7. DFM in pocketing



Case I. Depth limit



Case II. Depth limit and initial depth

Examples of DFM in pocketing

Web-based DFM systems - SmartFab

- Convenience setting for NC code generation

NC Code Generation

Selected Material:

Material Information

Hardness Type: Hardness:

Cost (won/kg):

Selected Tool:

Tool Information

Diameter (um): Coating:

Flute Length (um): Cost (won/kg):

Expert Mode

Process Parameters

Tool Diameter:

Roughing: Yes No

Stock Height (mm): Axial Cutting Depth:



Cutting Mode: Path Interval:

Pattern Type:

Spindle Speed (rev/min):

Feed Rate (mm/min):

Setting for NC generation



(a) STL model

```
Plan Sheet for NC Process [filename -ppn.pln]
-----
(1) Cut Mode [Scanning = 1, Contouring = 2, Pencil-Cut = 3, Fillet-Cut = 4]
1
(11) Polyhedral Model and Path
1. Input Model (Full Path)
smart.stl
2. Plane Normal (x, y, z)
0.0 1.0 0.0
3. Pattern Type [Oneway = 0, Zigzag = 2]
2
(111) Tool & Machining Conditions-----
1. Gutter Shape(Dia, Fillet-Radius, Length)
0.400 0.0 50.0
2. Path Interval
0.1
3. Cutting tolerance
0.01
4. Surface Offset
0.0
5. Start Point (x,y,z)
0.0 0.0 20.0
6. Clearance Height [Type = Inc_2/Obt_2/Tool_axis, Value]
0
15.0
```

(b) Machine setting

Results of DFM module



Upload STL file and PLN file

File for Manufacturing (STL form)


File for Manufacturing (PLN form)

Upload form: model and setting

Web-based DFM systems - SmartFab

- For micro machining

Cost Estimation Service		Calculate
1. Cw (Workpiece cost)	<u>20</u>	
2. Cp (Preparaton cost)	<u>875</u>	
3. Cm (Machining cost)	<u>6600</u>	
4. Cn (Nonproductive cost)	<u>0</u>	
Total cost (Ctotal = Cw + Cp + Cm + Cn) is		<u>7495 (won)</u>



$$C_p = T_p * W$$

T_p : Preparation time (0.35 hr)
 W : Operator's wage (2500/hr)

$$C_m = C_{om} + C_t = T_m * W + C_t$$

T_m : Machining time (0.24 hr)
 W : Operator's wage (2500/hr)

$$C_t = y * (T_m / T)$$

(7995 won, 88% of total cost)

C_t : Tool usage cost
 T : Tool life (4 hr)
 y : tool cost (100,000)

DFM for RP




- Issues in FDM material (ABS)
- Porous & directional
- Build rule
- ...


Issues in FDM Material (ABS)



- Functional Properties
 - Strength
 - **Nude** style package
- Approach
 - **Resin infiltration**
 - Increase strength & transmissivity of light




FDM process




Porous micro structure

Micro Structure of FDM Part




Porous & Directional




Anisotropy in FDM Parts



- “Raster Orientation” is the direction of deposition




SEM picture of FDM specimen.




Quickslice SML file.

Design of Experiment (DOE)




Results



Variable	Symbol	Low(-)	High(+)
Air Gap (in.)	A	0.0000	-0.0020
Bead Width (in.)	B	0.0200	0.0396
Model Temperature(°C)	C	270	280
ABS Color	D	Blue	White
Orientation of Raster	E	Transverse	Axial


Failed Specimens





Build Rule #1




- Build parts such that tensile loads will be carried axially along the fibers.



Build Rule #1 cont'd



Cross Section 1




Cross Section 2

Two different road orientations for cantilever snap-fit design.


Build Rule #2



- The stress concentrations associated with a radius can be misleading. If a radius area will carry a load, building the radius with contours is probably best.



Cross Section 1



Cross Section 2


Two different road orientations for dog-bone design.

Build Rule #3~5




- Rule 3. A negative air gap increases both strength and stiffness
- Rule 4. Shear strength between layers is greater than shear strength between roads.
- Rule 5. Bead width and temperature do not affect strength, but the following considerations are important.
 - Small bead width increases build time.
 - Small bead width increases surface quality.
 - Wall thickness of the part should be an integer multiple of the bead width

Resin Infiltration





Raw FDM ABSi



During Infiltration



After Infiltration



Relative Transmissivity



(a) Raw Material

T=0,2%

(b) Temperature(180°C)

T=8,4%

(c) Acryl

T=1,8%

(d) Acryl+Sanding

T=22,4%

	ABSi	Acryl	Cyano Acrylate
Index of Refraction	1.57	1.69	1.51











DFM in Injection Molding




항 목	사용되지 않는 예	많이 사용하는 예	설 명
파팅라인			기울어진 보스 또는 형상은 금형의 구조가 복잡 및 대형으로 되기 때문에 파팅 라인에 대하여 직각이 되도록 한다.
코 어			코어에 비교적 큰 사이드 코어를 관통하면 고장의 요인이 되므로 두 방향에서 두 개의 코어를 맞닿게 하는 것이 좋다.
성형품 형 상			물결 모양의 이음부분의 끝은 금형으로서 예각이 되는 것을 피한다.
			뛰어나온 모양의 손잡이는 금형의 절삭 가공이 더 용이하다. 풀드 호빙가공의 경우는 마스터를 만들게 되므로 그 반대가 된다.
			깊은 부분은 되도록 제품의 한 방향으로 볼도록 한다.
			금형에서 고정축 코어의 형상은 수축에 의한 흠착을 피하도록 한다.


항 목	사용되지 않는 예	많이 사용되는 예	설 명
성형품 형 상			파되어 갈 때, 좌우 대칭의 형상은 쉽게 가공이 되지만, 그렇지 않을 경우는 가공이 곤란하다.
			모든 코너에는 최대의 R을 붙인다.
삼 두께			삼두께는 되도록 균일한 두께로 할 것
			단면의 삼두께가 두꺼운 곳에는 보강 리브를 붙이고 삼두께는 균일하게 한다.
			삼이 얇은 단면 부분은 재료의 충전 부족이 되기 쉽다.
보 스			보스가 강도를 갖도록 리브를 만들고 귀퉁이에 R을 붙인다.
리 브			깊은 리브는 잘 빠지게 하기 위하여, 되도록 큰 빼내기 구배를 붙일 것

DFM in Injection Molding (cont.)


항 목	사용되지 않는 예	많이 사용되는 예	설 명
문 자			들어간 문자는 튀어나온 문자에 비하여 형가공이 곤란하다. 플드호빙 가공한 경우는 그 반대다.
성형품 강도			형에서 떨어질 때 코어핀에 수축의 힘이 걸려서 끊어질 수 있으므로 리브를 만들면 좋다.
			
인서트			성형을 할 때 인서트를 확실하게 고정시킬 수 있도록 인서트의 끝면에서 코어 핀을 분할하여, 인서트가 움직이지 않도록 눌러준다.
			인서트 나사는 나사가 성형품에까지 닿는 것을 피하도록 하고, 평면부를 붙이면 매끈해진다.



(a) 니플



(b) 스프루 형상











(c) 스크루



(d) 플리

Prevent undercut



DFM in Injection Molding (cont.)

<p>Don't</p>  <p>$t \geq 4\text{mm}$</p> <p>Do</p> <p>Use ribs instead</p>  <p>$0.065'' \leq t \leq 0.5''$</p> <p>Minimize section thickness, cooling time is proportional to the square of the thickness of the part(s), and reducing the cooling time directly reduces costs.</p> <p>(a)</p>	<p>Don't</p>  <p>Do</p> <p>No draft</p>  <p>2° min</p> <p>Add thickness for draft</p> <p>Always provide a draft angle for easier mold removal.</p> <p>(b)</p>
<p>Don't</p>  <p>Do</p>  <p>$R = 3/8t \geq 0.06''$</p> <p>$R+t$</p> <p>Avoid sharp corners, they produce stress concentrations and obstruct material flow.</p> <p>(c)</p>	<p>Don't</p>  <p>$t_{\text{rib}} \cong t$</p> <p>voids</p> <p>Sink marks</p> <p>Do</p>  <p>$t_{\text{rib}} = \frac{1}{2}t^*$</p> <p>$3t \text{ min}$</p> <p>Keep rib thickness less than 60% of the part thickness to prevent voids and sinks.</p> <p>(d)</p>





Warpage and sinkmarks

- Avoid thick “hot spots”



Injection and flow




- Max length of flow
 - Part Thickness
 - Material
- Influences decision on
 - Part Geometry
 - Number of gates
 - Location of gates
 - Weldline





Avoid undercut

- Undercut requires cam pin, slider, or lifter



Key issues for each sub-process



- Injection
 - Flow Length Limit, Weldlines, and Density Dist.
 - Gating Scheme (number and location)
 - Thickness
- Packing and Cooling
 - Differential Cooling, Warpage, and Sinkmarks
 - Geometry Design
- Ejection (Tooling)
 - Parting Plane (Undercut)
 - Ejector Pins
- Assembly
 - Integral hinges and fasteners, Welding




Product specific DFM

- Example: GM 3.8 liter V6 engine



- Airintake manifolds
 - Original : Cast Al
 - Redesigned : molded thermoplastic composite




Design for Assembly (DFA)



- Benefit of DFA
 - Fewer Parts
 - Easier Assembly
 - Shorter Assembly Time
 - Major Concurrent Engineering Driver
 - Major Cost Savings (Parts and Labor)
 - Reduced Defects
 - Improved Quality
 - Increased Reliability

Design for Assembly (cont.)



부품 수: 49

조립작업:
57회

조립시간:
552초


인건비:

\$3.83

그림 13.21

Epson MX80 도트프린터의 주요 부조립품의 분해도(제공: Assembly Engineering, January 1987).

Design for Assembly (cont.)



부품 수: 32

조립작업:
32회

조립시간:
170초

인건비:

\$1.18


그림 13.22

32개의 부품 혹은 부조립품을 포함하고 있고 32개의 조립작업이 필요한 IBM Proprinter의 분해도 (제공: Assembly Engineering, January 1987).


Design for Assembly (cont.)



- Minimum number





- Multi-functional Part
 - Compliant (flexible) part



Design for Assembly (cont.)




- Self Location




Design for Assembly (cont.)



기존방식




Cockpit module



Design for Assembly (cont.)



MOBIS



Design for Disassembly (DFDA)



- Guidelines for joints I

TABLE 15.16. MECHANICAL JOINTS SUITABLE FOR DISASSEMBLY

Guideline	Not Suitable	Suitable
Use attaching or locking elements that are easy to dismantle or destroy, even after long service	Peen Crimp	
Reducer the number of fasteners		
Use the same fasteners		
Ensure easy access for dismantling tools		






Guideline	Not Suitable	Suitable
Use simple standard tools		
Avoid long dismantling paths		
Strive for damage free dismantling		
Use the same disassembly operations and tools		
Use one disassembly direction only		
Synchronize the timing of disassembly operations		







Design for Disassembly (DFDA)



- Guidelines for joints II

TABLE 15.17. PLASTIC-TO-PLASTIC JOINT DESIGN GUIDELINE (GE, 1995).

Type		Disassembly Method	Rating
Mechanical Joints			
Hook		Slipped Loose	●
Snap fit		Snapped Out	●
Press fit		Ripped Out Pressed Out	⊙
Screw		Unscrewed	⊙
Screw Insert		Unscrewed Boss Chiseled Off	⊙







Welded Joints			
Welded – compatible materials		No separation needed	●
Solvent Bonded – compatible materials		No separation needed	●
Welded (with separate welding material)		Cut off welded area	⊙
Stud welded		Chiseled off Milled away	⊙
Molded in (insert)		Ripped out Pressed out Drilled out	⊙
Glue Bonded		Economically not feasible	○






Design for Disassembly (DFDA)



- Guidelines for joints III

TABLE 15.18. PLASTIC-TO-METAL JOINT DESIGN GUIDELINE (GE, 1995)


Type		Disassembly Method	Rating
Side Hook		Slipped loose	●
Snap fit		Snapped out	●
Hook press fit		Ripped out Pressed out	⊙
Screw		Unscrewed	⊙
Screw insert		Unscrewed Chiseled off	⊙
Rolled in		Cut off at arrow area	⊙

Press fit		Ripped out Pressed out Drilled out	⊙
Stud weld		Chiseled off Milled away	⊙
Mold in (outsert)		Economically not feasible	○
Glue bond		Economically not feasible	○
Tape weld		Apply electric control	⊙

Design for Disassembly (DFDA)



- Time issue
 - Logitech MX300



**Total Disassembly time:
59 sec**

Insert: x sec

Snap fit: x^2 sec

Screw: 4x sec

x: # of items


Assembly

Single part

Design for Disassembly (DFDA)



- Time issue
 - Microsoft Explorer



Design for Environment (DFE)



- Benefit of DFE
 - Reduced health, safety, and ecological risks
 - Increased efficiency and customer acceptance
 - Improved worker morale and productivity
 - Reduced regulatory burden
 - Improved channels of communication, cooperation, and collaboration among stakeholder organizations
 - Expanded business and market opportunities

- DFE includes
 - Design for Recycling
 - Design for remanufacturing
 - Design for energy efficiency

*- from U.S. Environmental Protection Agency (EPA),
<http://www.epa.gov/oppt/dfe>*



DFE as a real regulation



- Eco Design(DFE) of EuP Directive 2005/32/EC
 - EuP : Energy using Products which use any forms of energy
 - All EU countries must legislate for this EuP Directive until 11th August, 2007.

ARTICLE 15

Implementing measures

4. In preparing a draft implementing measure the Commission shall:

d. consider the life cycle of the EuP and all its significant environmental aspects, inter alia energy efficiency. The depth of analysis of the environmental aspects and of the feasibility of their improvement shall be proportionate to their significance. The adoption of eco-design requirements on the significant environmental aspects of a EuP shall not be unduly delayed by uncertainties regarding the other aspects.;

e. carry out an assessment, which will consider the impact on environment, consumers and manufacturers, including SMEs, in terms of competitiveness *including on markets outside the Community*, innovation, market access and costs and benefits;

f. take into account existing national environmental legislation that Member States consider relevant;

5. Implementing measures shall meet all the following criteria:

a. there shall be no significant negative impact on the functionality of the product, from the perspective of the user;

j. health, safety and the environment shall not be adversely affected;

k. there shall be no significant negative impact on consumers in particular as regards the affordability and the life cycle cost of the product;

l. there shall be no significant negative impact on industry's competitiveness;

m. in principle, the setting of an ecodesign requirement shall not have the consequence of imposing proprietary technology on manufacturers;

n. no excessive administrative burden shall be imposed on manufacturers

DFE as a real regulation




Figure 1. Structure of key parameters needed for Ecodesign of EuP directive, Art. 15.

DFE as a real regulation



- DFE affects the decisions listed hereafter

At company policy level:

The product developer assumes shared responsibility — with production and market developers — for the product policy and the definition of new product/market combinations

At tactical level:

The product developer is responsible for

Selection of materials

Design of the geometry

Selection of the type of production processes to realize the geometry

Prescription of the way that the product should be used.

- Integrated Product Policy

- At the strategic level of generating ideas for new products, the notion of eco-analysis of current products, the environmental goals one is trying to reach and the notion of how new products would be an improvement can be qualitative and abstract.

DFE as a real regulation



- Integrated Product Policy
 - At such level, a company may decide for instance that all-in-one imaging center is more environmentally friendly than a single product. The DFE dimension, as one of the many factors that are taken into consideration, can be an inspiration and guidance.




Figure 5 . Domain of Eco-design (in red) within the basis product design loop [after Archer, *Technological Innovation*, 1973]

Design for recycling



TABLE 15.23. COMMONLY RECYCLED PLASTICS (BILATOS AND BASALY, 1997)

Plastic	1993		
	Sales (million lbs)	Recycled (million lbs)	Recycling rate
High-density polyethylene (HDPE)	4243	450.2	10.6%
Polyethylene terephthalate (PET)	1598	447.8	28%
Low-density polyethylene (LDPE)	4593	88.3	1.9%
Polystyrene (PS)		35.6	
Polypropylene (PP)	1639	13.6	1.5%
Polyvinyl chloride (PVC)	717	5.5	0.8%

Design for recycling (cont.)



TABLE 15.24 RECYCLABILITY RATINGS (BRAS, 1996).

Rating	Description	Examples
1	Part is remanufacturable	Starter motor, alternator
2	Material in a part is recyclable with a clearly defined technology and infrastructure	Most metals, PETE, HDPE
3	Material is technically feasible to recycle—infrastructure to support recycling is not available	Most thermoplastics, glass, thermosets
4	Material is technically feasible to recycle with further process or material development required	Armrest, airbag modules, single metal with single thermoset
5	Material is organic—can be used for energy recovery but cannot be recycled	Multithermoplastics, wood products
6	Material is inorganic with no known technology for recycling	Heated glass, fiberglass


Design for recycling (cont.)



TABLE 15.25. SEPARABILITY RATINGS

Rating	Description	Examples
1	May be disassembled easily manually, less than 1 minute	Pull-apart plastics
2	May be disassembled with effort manually, less than 3 minutes	Instrument cluster, radio
3	May be disassembled with effort and some mechanical separation or shredding to separate. The process has been fully proven.	Engines, sheet metal, uncorroded screws
4	May be disassembled with effort and some mechanical separation or shredding to separate. The process is under development.	Instrument panels, corroded screws, adhesives
5	Cannot be disassembled. There is no known effective process for separation.	Heated backlights

Design for remanufacture



Parts of the Kodak Funsaver Single-use camera area remanufactured. Parts must be removed, cleaned, inspected, and returned to the factory for reuse.

Design for high-impact material reduction

TABLE 15.28. LIST OF CHEMICALS TO AVOID

Benzene	Cadmium
Carbon tetrachloride	Chloroform
Chromium	Cyanides
Dichloromethane	Lead
Mercury	Methyl ethyl ketone
Methyl isobutyl ketone	Nickel
Tetrachloroethylene	Toluene
Trichloroethane	Trichloroethylene
Xylenes	

**TABLE 15.29. MATERIAL IMPACT COMPARISON (MICROPOINTS)
ADAPTED FROM GOEDKOOP (1995)**

Plastics		Metals		Other	
High-density polyethylene (HDPE)	2.9	Aluminum (100% recycled)	1.8	Ceramics	0.5
Polypropylene (PP)	3.3	Steel	4.1	Wood	0.7
Low-density polyethylene (LDPE)	3.8	Sheet steel	4.3	Cardboard	1.4
Polyvinyl chloride (PVC)	4.2	Stainless steel	17	Paper (100% recycled)	1.5
Polyethylene Terephthalate (PET)	7.1	Aluminum (0% recycled)	18	Glass	2.1
Polystyrene (PS)	8.3	Copper (100% recycled)	23	Paper (0% recycled)	3.3
Acrylonitrile butadiene styrene (ABS)	9.3	Copper (60% recycled)	60	Cellulose	3.4
Nylon (PA)	13	Copper (0% recycled)	85	Rubber (NR)	15
		Other nonferrous	50–200		
			0		

Design for energy efficiency



TABLE 15.30. ENERGY EFFICIENCY GUIDELINES

Specify best-in-class energy efficiency component.	Reduces energy usage and societal fossil fuel consumption
Have subsystems power down when not in use.	Reduces energy usage and societal fossil fuel consumption
Permit users to turn off systems in part or whole.	Reduces energy usage and societal fossil fuel consumption
Make parts whose movement is powered as light as possible.	Less mass to move requires less energy
Insulate heated systems.	Less heat loss requires less energy
Solar-powered electronics are better.	Does not create harmful by-products
Choose the least harmful source of energy.	Reduce harmful by-products
Avoid nonrechargeable batteries.	Reduce waste in streams
Encourage use of clean energy sources.	Reduce harmful by-products

Source: Bras lecture notes, 1998.

Design for class project




- Minimum part size
- Minimum thickness
- Maximum part size
- Manufacturing cost
- Machining
 - No undercut for 3 axis milling and turning
 - Fixturing-vise, vacuum chuck
- RP
 - Surface roughness and post process
 - Strength
- Injection molding
 - Draft angle
 - No undercut, or undercut with slider mechanism

Case study #1




- Mold making
 - CNC, milling, turning
 - sanding
 - Channels for air escape





Case study #2


- Injection molding





Case study #3

- Re-design for injection molding





Thank you for your attention !