

Note 9

OO Programming with C++

Yunheung Paek

Associate Professor

Software Optimizations and Restructuring

Seoul National University

Topic

- From C to C++
- Basic features of C++
- Class
- Inheritance
- Multiple Inheritance
- Virtual function
- Operator overloading

C++

- An object-oriented descendant of C, which was developed from CPL (Combined Programming Language: a bulky language with high-level operations and bit operations useful for efficient system programming).
- a hybrid language with the duality
 - procedural/imperative programming paradigm
 - object-oriented programming paradigm
- features are not really new - mainly borrowed
 - most of syntax and semantics from C
 - data encapsulation was already well-known
 - notion of derived class and virtual functions from Simula67
 - operator overloadings and declaration within blocks from Algol68
- Why so popular today? ... easier transition from C, and perfect C code reusability, one crucial feature of a language

History

- created at Bell laboratories in AT&T (1983)
 - At about 1980, it was developed with the name of C with Classes (AT&T) - Without operator overloading, reference type and virtual function
 - At 1983, “C++” was used.
 - At 1985, C++ Release 1.0
 - Providing operator overloading, reference type and virtual functions
- The name “C++” was made because the syntax of “C” was almost reused in this language and more improved than C, so it was added using incremental operator “++”
- Adjusted to not only “system programming” and “object oriented programming”

Differences of C++ from C

- class construct

- the underpinning for object-oriented programming
 - information holding with private/shared
 - defines data objects and the associated operations (called *member functions* → e.g, `num_of_elements()`, `is_element()`)
- similar to the struct construct in C, but more general

```
struct Integer_Set {           //in C
    int* array_of_ints;
    int num_of_elements(); //error!
    ...
}
... s.array_of_ints ...      //OK!
```

C++

Class construct example

```
class Integer_Sets {
    private:
        int* array_of_ints;
    public:
        int num_of_elements();
        int is_element(int num);
    ...
}
Integer_Set s;
...
if (s.is_element(4)) ...
... s.array_of_ints //error!
```

- defines data objects and the associated operations

Differences of C++ from C

- operator overloading for class objects

```
Integer_Set operator + (Integer_Set& s, Integer_Set& t) {  
    ...    //defined as union operators  
}  
Integer_Set operator + (Integer_Set& s, int t) {  
    ...    //defined as include operators  
}  
eg.    operator+({1,2}+{2,4}) -> {1,2,4}  
       operator+({1,2}+5) -> {1,2,5}
```

```
Integer_Set S,T;  
int i, j, k;  
...  
S = (S + i) + (T + (j + k));
```

- function: overloading and flexible number of parameters

```
int foo(char c);  
int foo(float x, int j = 0);  
...  
a = foo(2.6, 7) + foo('p') + foo(3.3);
```

- inlining - useful only when carefully used

```
inline int dec(int & val) { ... }  
dec(j); -> j--;  
cf:    inline int dec(int val) { ... }
```

Differences of C++ from C

- call-by-reference

```
void inc1(int & val) { val += 1; }
void inc2(int * val) { *val += 2; }
...
int j = 0;
int* jp = &j;
inc1(j);           //call-by-reference
inc2(jp);         //call-by-value
```

- explicit type conversion

- stream I/O - cin, cout

```
#include <stream.h>
char* c = "cis635";
cout << c << *c << (int) c << (int) *(c+1);
→ output: cis635 c 134516088 105
```

- enum for enumeration types

```
typedef enum { yellow, red, blue } Basic_Color;
Basic_Color color = red;
...
if (color == blue) ...
```

Class

- With the concept of Class, programmer can create a new data type directly.
- You must do this to express new concept specifically, which can not be expressed with data types included in C++.
- If a new data type is defined well and closely to the concept, the program gets simple and plain and easy to understand.
- Fundamental idea of defining a new data type is concerned with dividing the names needed to use the object correctly and specifications accompanied implementing this object.

Member functions in C?

```
struct date { int month, day, year; }; // struct definition
date today; // struct variable declaration
void set_date(date*, int, int, int); // 3 functions processing date type var
void next_date(date*);
void print_date(date*);
```

Problems: There is no device connecting data type with function related to this definitively.

Member functions in the C++ struct

```
struct date {  
    int month, day, year ;           // members  
  
    void set(int, int, int, int);    // member function (or procedure, method)  
    void get(int*, int*, int*);  
    void print( );  
    void next( );  
};
```

Example: calling member function:

```
date today;           // definition of date type object today (allocation of memory storage)  
...  
today.set(9, 18, 1990); // providing the same type of arguments, initialization  
today.next( );
```

Member function

- It is possible that member functions with the same name are defined in different structures.
- So when you define a member function, you must appoint the name of the structure where this member function is included.

```
void date::next( )  
{  
    if (++day > 28) {  
        ...  
    }  
}
```


```
// next() belongs to struct date  
  
// the usage of day, member of date struct
```

Information hiding

- It is not true that only member functions within date structure can access member of date structure.
- If you want to do this, you must use `class` instead of `struct`.

```
class date {  
    int month, day, year ; // (private) member  
  
    public:  
        void set(int, int, int, int); // (public) member function  
        void get(int*, int*, int*);  
        void print( );  
        void next( );  
};
```

Use of private and public members



Information hiding within a class

- The function which is not a member function cannot use a private member of date class.

```
void backdate( )    // backdate( ) is not a member function of date
{
    today.day- -;   // error
}
```

- Advantages

- Protection of interior data or decrease of possibility of error occurrence attributed to hiding.
- You only have to understand user guider of member functions, which increases convenience because you do not need to know interior implementation/data structure.

Information hiding of Class

```
month      set( )  
day        get( )  Inout Port  
year       next( )  
           print( )
```

Self referencing pointer – `this`

```
class x {  
    int m;  
    public:  
        int readm() { return m; }  
};
```

```
x aa;  
x bb;
```

```
void f()  
{  
    int a = aa.readm();  
    int b = bb.readm();  
    ...  
}
```

```
// or return this->m;  
// This represents the address of  
// currently used object
```

```
// substitution a for m in aa  
// substitution b for m in bb
```


List using “this”


```
class dlink {
    dlink* pre;
    dlink* suc;
public:
    void append(dlink*);
};

void dlink::append(dlink* p)
{
    p->suc = suc;
    p->pre = this;
    if (suc)
        suc->pre = p;
    suc = p;
}
```

```
void f(dlink* a, dlink* b)
{
    .....
    list_head->append(a);
    list_head->append(b);
}

dlink* list_head;
.....
f(.....);
```

this (list_head)



Instantiation of a class object

```
class date {
    int month, day, year;
public:
    void set_date(int m, int d, int y)
    {
        month = m;
        day = d;
        year = y;
    }
};

date lee;
lee.set_date(9, 6, 1957);
```

In C++, programmers can declare directly a member function (say, “constructor”) which is called automatically when the object is declared and instantiated.

↑
Solution

→ Problems: If you instantiate a class object using a member function, programmers get used to a mistake with missing an invocation of this function or invoking it multiple times.

Constructor

```
class date {  
    int month, day, year;  
public:  
    date(int m, int d, int y) { // constructor(member function)  
        month = m;  
        day = d;  
        year = y;  
    }  
};
```

- The *constructor* is a member function whose name is the same as the class.
- The method of calling a constructor

```
date today = date(23, 6, 1990);  
date xmas(25, 12, 0);  
date my_birthday; // error, not assigned arguments to constructor
```

Multiple constructors

- It is possible to assign several constructors.

```
class date {  
    int month, day, year;  
public:  
    date(int, int, int);  
    date(char*);  
    date(int);  
    date( );  
}
```

- Instantiating an object by calling a proper constructor according to the data type and the number of arguments.

```
date today(4);           // date(int)  
date july4("5 Nov");    // date(char*)  
date now;               // date( )
```

Member initialization

Generally, a constructor initializes the values of the member variables of the class object.

```
date::date(int m, int d, int y): month(m), day(d), year(y)
{ }

date::date(int m, int d, int y) {
    month = m;
    day = d;
    year = y;
}
```

Example with a constructor

```
#include <iostream.h>
class x {
    int m;          // private member
public
    x(int mm) {m = mm; }
    int readme( ) { return m; }
};

main () {
    x aa(3);      x bb(5);      x cc = aa;
    int a = aa.readme();
    int b = bb.readme();
    int c = cc.readme();
    cout << "a is " << a << "\n";
    cout << "b is " << b << "\n";
    cout << "c is " << c << "\n";
}
```

Another example with a constructor

```
#include <iostream.h>
class Date {
    int mo, da, yr;
public
    Date() {
        cout << "\nDate constructor" ;
        mo = 0; da = 0; yr = 0;
    }
    Date(int m, int d, int y) { mo = m; da = d; yr = y; }
    // or Date(int m, int d, int y): mo(m), da(d), yr(y) {}
    void print() {
        cout << "\n" << mo << "/" << da << "/" << yr;
    }
};

main () {
    Date days[2];
    Date temp(6,24,90);
    days[0] = temp;
    days[0].print();
    days[1].print();
}
```

Experiment result

```
Date constructor
Date constructor
6/24/90
0/0/0
```

Destructor

- In contrast to a constructor, a *destructor* eliminates an object that is no more needed by the program.
- The destructor of the class 'X' is expressed as `~X()`.
- While the constructor allocates a memory location from free space, the destructor deletes this memory allocation.
- It is automatically invoked when the program ends and returns the memory location it has used.

Example with a destructor

```
#include <iostream.h>
class Date {
    int mo, da, yr;
public
    Date( ) { mo = 0; da = 0; yr = 0; }
    Date(int m, int d, int y) {
        mo = m; da = d; yr = y;
    }
    ~Date( ) { cout << "\nDate destructor " ; }
    void print( ) {
        cout << "\n" << mo << "/" << da << "/" << yr;
    }
};

main () {
    Date days[2];
    Date temp(6,24,90);

    days[0] = temp;
    days[0].print();
    days[1].print();
}
```

Experiment result

```
6/24/90
0/0/0
Date destructor
Date destructor
Date destructor
```

Friend

- The same member function often must be defined together in two or more classes.
- There is no need to define functions performing the same operations in each class.
- In this case, it is effective to make one function, called a *friend*, and use it together.
- It's the case where you must use "friend".
- The function declared by "friend" has the status as the same as one declared within the class.
- Namely, it can access private members of the class.

Examples with friend functions

```
class matrix;
class vector {
    float v[4];
    ...
    friend vector multiply(matrix&, vector&);
};
class matrix {
    vector v[4];
    ...
    friend vector multiply(matrix&, vector&);
};
vector multiply(matrix& m, vector& v)
{
    ...
}
```

↑
Outside the class

→
Inside the class

```
class x {
    ...
    void f( );
};
class y {
    ...
    friend void x::f( );
};
void x::f( ) {
    ...
}
```

Another example

Using all member functions of one class as a friend of other classes


```
class x {  
    ...  
    void f( );  
    void g( );  
    ...  
};  
  
class y {  
    ...  
    friend class x;  
};
```

*All member functions of class **x** become a friend of **y**, but the member variables of **x** have nothing to do with **y**.*

Static member

- Recall that a class is only a type, not an object.
 - So several objects of the same class includes their own member.
- In some case, it is very comfortable for objects of the same type to hold one data in common.
- This shared data is declared by using “**static**”.

```
class task {  
    ...  
    task* next;  
    static task* task_chain;  
    void schedule(int);  
    void wait(event);  
    ...  
};
```



Static member

- The scope of a static member is confined within the defined class.
- But if it is declared as a public member, it can be used in the outside of class by using the `::` operator.

→ Example: `p = task::task_chain;`

- Static members are always instantiated to “0” by the compiler when the class is declared. But during program execution, it can be modified.

→ Example: `task job;`
`task *task::task_chain = &job;`

Public/Private base class

Public base class

```
class manager : public employee {  
    ...  
};
```

```
class employee {  
    ...  
    public:  
        char* name();  
    ...  
};
```

➔ meaning: *All public members in 'employee' become public members and protected members in class 'manager'*

Ex:

```
void name_print(manager* p) {  
    cout << p->name(); // using public member, 'name', in 'employee'  
}
```

Public/Private base class

Private base class

```
class manager : private employee {  
    // or by default without private  
    ...  
};
```

→ meaning: All public, protected members in 'employee' become private members in class 'manager'.

Ex:

```
manager* man;  
cout << man->name(); // error: 'name' is a private member in 'manager'
```


Public/Private base class

Part public base class

```
class manager : private employee {  
    ...  
    public:  
    ...  
    employee::name();           // 'name' as a public member  
};                               // 하나만 public으로 선언
```

Ex:

```
manager* man;  
cout << man->name(); // no error
```

Protected members

- While protected members is used like private members by users, those in a class derived from this class is used like public ones. → *merely those are impossible to access from the outside.*

```
class two {
    public:           // public
        char *name;
        void f2( );
    protected:      // protected
        float prot1, prot2;
    private:         // private
        float priv;
};
```

```
void three::f3( ) {
    name = "korea"; // public: ok
    prot1 = prot2 = 1; // protected → public in derived class: ok
    priv = 5; // private: not ok
}
```

```
main() {
    three sun;
    sun.name = "olympic"; // public: ok
    sun.prot1 = sun.prot2 = 0; // protected member is private for users: not ok
    su.priv = 5.0; // private: not ok
}
```

```
class three : public two {
    public:
        void f3( );
    private:
        float z3;
};
```

Derived class initialization

- If there is a constructor in base class, when defining a derived class, we must call it.


```
class base {
    ...
    public:
        base(int);    // base class constructor
        ~base( );
};

class derived : public base {
    int m;
    public:
        derived(char *n) : base(10), m(20) { ... }
};
```

Multiple inheritance in C++

```
class dial { // accumulated running distance mark of speed panel
public:
    int update();
    virtual void display() { ... }
};
class monitor { // current speed mark
public:
    int gauges();
};
class speed : public dial, private monitor { // speed panel
    void display( ) { ... }
    ...
}
```

```
speed meter;
meter.update(); // from dial
meter.gauges(); // from monitor
dial *dp = &meter;
monitor *mp = &meter;
dp->display(); // call speed::display()
mp->display(); // call speed::display()
```



Constructor for multiple inheritance

- Classes 'b1' and 'b2' are made and each constructor is defined.
- Class 'd' is derived from those two classes.

```
class d : public b1, public b2
{
    d(char*);
    int x;
};
```

Two possible initializations for d



```
d::d(char *s) : b1(strlen(s), atof(s)), b2(s[0])
{
    ...
}
```

```
d::d(char *s) : b1(strlen(s), atof(s)), x(3), b2(s[0])
{
    ...
}
```

Operator overloading

- The usage of pre-defined operator to the class by modifying the meaning intentionally.
- C++ can apply operators (+, -, *, /, etc..) directly to the fundamental data type like “int”, but it does not provide operators directly applicable to string, array, or user-defined types.
- But it provides the functionality to define the operator suitable for the class type.
- If you use a user-defined operator applicable to a class object, you can use class objects more conveniently and elegantly than simply using normal functions.

Example

```
class Date {
    int mo, da, yr;
public:
    Date( ) { }
    Date(int m, int, d, int y) { mo=m; da=d; yr=y; }
    void print( ) { cout << mo << "/" << da << "/" << yr; }
    Date operator+(int); // operator overloading
};
static int dys[] = {31,28,31,30,31,30,31,31,30,31,30,31};
```

```
Date Date::operator+(int num)
{
    Date dt = *this;
    num += dt.da;
    ...
    return dt;
}
```

*+ is applied to
the this object
(first argument)*

```
main( )
{
    Date oldd(2,20,91);
    Date newd;
    newd = oldd + 12;
    newd.print( );
}
```

Operator overloading w/ 2 arguments

```
class Date {
    int mo, da, yr;
public:
    Date( ) { }
    Date(int m, int, d, int y) { mo=m; da=d; yr=y; }
    void print( ) { cout << mo << "/" << da << "/" << yr; }
    ...
    Date operator+(int n, Date& dt) { return dt+n; } // Operator overlapping
};
```

Diagram illustrating operator overloading with two arguments. A call to `newd = 12 + odd;` in `main()` is shown. A dashed arrow labeled "this" points from the `newd` variable to the `Date` class definition. Another dashed arrow points from the `12` operand to the `operator+(int n, Date& dt)` method, and a third dashed arrow points from the `odd` operand to the `Date& dt` parameter of the same method.

- If it is defined not as a friend but as a member function, implicitly including the first argument, it has three arguments. → Then it becomes a ternary operation.
- In C++, only a unary operation and a binary operation are permitted.

Complex operator overloading

```
class complex {
    double re, im;
public:
    complex(double r, double i) { re=r; im=i; }
    complex operator+(complex c2) {
        return complex(re+c2.re, im+c2.im);
    }
};

void f( )
{
    complex a = complex(1, 3.1);
    complex b = complex(1.2, 2);
    complex c = b;
    a = b + c;      // a = (1.2+1.2, 2+2)
    b = b + c + a; // observing general operation precedence
}
```

Operator overloading with a friend

```
class complex {
    double re, im;
public:
    complex(double r, double i) { re=r; im=i; }
    friend complex operator+(complex, complex);
};

complex operator+(complex c1, complex c2) {
    return complex(c1.re+c2.re, c1.im+c2.im);
}

void f( )
{
    complex a = complex(1, 3.1);
    complex b = complex(1.2, 2);
    complex c = b;
    a = b + c;      // a = (1.2+1.2, 2+2)
    b = b + c + a; // observing general operation precedence
}
```

Overlapping operators

- For most embedded operators in C++, we can declare a function that defines the meaning of an operator, and overlap it.
 - Ex : +, -, *, /, &, <<, >>, &&, &=, *=, []
- But we cannot change the priority or grammar of operator.
- Using an operator looks simpler than calling it as an ordinary function.

```
void f (complex a, complex b)
    complex c = a + b;
    complex d = operator+(a, b);
}
```

```
// Example that is reduced using operator
// Example that directly calls
// operator function
```

Binary/unary operators

- Binary operator is defined as (1) a member function with two arguments or (2) a friend function with two arguments.

```
int operator+(int);  
friend int operator+(int, Date);
```

- The prefix of unary operator is defined as (1) member function with no argument or (2) a friend function whose first argument is itself.

```
&Date operator++( ); // 'this' is inserted as argument  
friend &Date operator++(&Date);
```

- Postfix of unary operator is defined as (1) member function with one 'int' argument or (2) a friend function whose first argument is itself and the second argument is 'int'.

```
&Date operator++(int); // variable name이 없음  
friend &Date operator++(&Date, int);
```

Example

```
class X {
    friend X operator-(X);           // unary(-) operator
    friend X operator-(X,X);        // binary(-) operator
    friend X operator-( );          // error : no argument
    friend X operator-(X,X,X);      // error : ternary operator

    X* operator&( );                // unary operator : address calculation
    X operator&(X);                 // binary operator: logical multiplication (AND)
    X operator&(X,X);               // error: ternary operator
};
```

```
class Date {
    Date( ) { }
    ...
    // Date is the first argument.
    Date operator+();                // unary
    Date operator+(int);             // binary
    Date operator++( ) {
        *this = *this + 1; return *this; } // Prefix
    Date operator++(int) {
        Date r = *this; *this = *this + 1; return r; } // Postfix
    ...
};
```

Overriding operator (=)

```
class string {
    char* p;
    int size;    // Array size is indicated by pointer p
    string(int sz) { p = new char[size = sz]; }
    ~string( ) { delete p; }
};

void f ( )
{
    string s1(10);
    string s2(20);
    s1 = s2;    // the loss of the pointer value of s1 which is assigned
}

```

 Solution?

Overriding operator (=)

Solution: overriding operator

```
class string {
    char* p;
    int size;

    string(int sz) { p= new char[size = sz]; }
    ~string( ) { delete p; }
    void operator=(string&); // substitution operation overlapping
};
void string::operator=(string& a)
{
    if (this == &a) return; // s = s
    delete p; // s1 disappearance
    p = new char[size = a.size];
    strcpy(p, a.p);
}
```

Subscript operators

- Subscript operators, `[]`, are binary operators.
- If there is `aa[bb]`, 'aa' is the first operator argument and 'bb' is the second operator argument and subscript.

```
class String {    char *s;
    String(char *p) {
        s = new char[strlen(p) + 1];
        strcpy(s, p);
    }
    char& operator[ ] (int n) {
        return *(s + n);
    }
    ....
};
```

```
main( ) {
    String mstr("The xxxx of April");
    mstr[4] = '2'; mstr[5] = '5';
    mstr[6] = 't'; mstr[7] = 'h';
}
```