

Electromagnetics:

Normal Incidence at Multiple Dielectric Interfaces (8-9)

Yoonchan Jeong

School of Electrical Engineering, Seoul National University

Tel: +82 (0)2 880 1623, Fax: +82 (0)2 873 9953

Email: yunchan@snu.ac.kr

Normal Incidence at Multiple Dielectric Interfaces (1)

For medium 1:

$$\mathbf{E}_1 = \mathbf{a}_x (E_{i0} e^{-j\beta_1 z} + E_{r0} e^{+j\beta_1 z})$$

$$\mathbf{H}_1 = \mathbf{a}_y \frac{1}{\eta_1} (E_{i0} e^{-j\beta_1 z} - E_{r0} e^{+j\beta_1 z})$$

For medium 2:


$$\mathbf{E}_2 = \mathbf{a}_x (E_2^+ e^{-j\beta_2 z} + E_2^- e^{+j\beta_2 z})$$

$$\mathbf{H}_2 = \mathbf{a}_y \frac{1}{\eta_2} (E_2^+ e^{-j\beta_2 z} - E_2^- e^{+j\beta_2 z})$$

For medium 3:

$$\mathbf{E}_3 = \mathbf{a}_x E_3^+ e^{-j\beta_3 z}$$

$$\mathbf{H}_3 = \mathbf{a}_y \frac{1}{\eta_3} E_3^+ e^{-j\beta_3 z}$$



D. K. Cheng, Field and Wave Electromagnetics, 2nd ed., Addison-Wesley, 1989.

Boundary conditions:

At $z = 0$:

$$\mathbf{E}_1(0) = \mathbf{E}_2(0)$$

$$\mathbf{H}_1(0) = \mathbf{H}_2(0)$$

At $z = d$:

$$\mathbf{E}_2(d) = \mathbf{E}_3(d)$$

$$\mathbf{H}_2(d) = \mathbf{H}_3(d)$$

Normal Incidence at Multiple Dielectric Interfaces (2)

Boundary conditions:

At $z = 0$:

$$\rightarrow \begin{pmatrix} E_1(0) \\ H_1(0) \end{pmatrix} = \begin{pmatrix} 1 & 1 \\ \frac{1}{\eta_1} & -\frac{1}{\eta_1} \end{pmatrix} \begin{pmatrix} E_{i0} \\ E_{r0} \end{pmatrix} \rightarrow \begin{pmatrix} E_2(0) \\ H_2(0) \end{pmatrix} = \begin{pmatrix} 1 & 1 \\ \frac{1}{\eta_2} & -\frac{1}{\eta_2} \end{pmatrix} \begin{pmatrix} E_2^+ \\ E_2^- \end{pmatrix}$$

$$\rightarrow \begin{pmatrix} 1 & 1 \\ \frac{1}{\eta_1} & -\frac{1}{\eta_1} \end{pmatrix} \begin{pmatrix} E_{i0} \\ E_{r0} \end{pmatrix} = \begin{pmatrix} 1 & 1 \\ \frac{1}{\eta_2} & -\frac{1}{\eta_2} \end{pmatrix} \begin{pmatrix} E_2^+ \\ E_2^- \end{pmatrix}$$

At $z = d$:

$$\rightarrow \begin{pmatrix} E_2(d) \\ H_2(d) \end{pmatrix} = \begin{pmatrix} e^{-j\beta_2 d} & e^{+j\beta_2 d} \\ \frac{1}{\eta_2} e^{-j\beta_2 d} & -\frac{1}{\eta_2} e^{+j\beta_2 d} \end{pmatrix} \begin{pmatrix} E_2^+ \\ E_2^- \end{pmatrix} \rightarrow \begin{pmatrix} E_3(d) \\ H_3(d) \end{pmatrix} = \begin{pmatrix} e^{-j\beta_3 d} \\ \frac{1}{\eta_3} e^{-j\beta_3 d} \end{pmatrix} E_3^+$$

$$\rightarrow \begin{pmatrix} e^{-j\beta_2 d} & e^{+j\beta_2 d} \\ \frac{1}{\eta_2} e^{-j\beta_2 d} & -\frac{1}{\eta_2} e^{+j\beta_2 d} \end{pmatrix} \begin{pmatrix} E_2^+ \\ E_2^- \end{pmatrix} = \begin{pmatrix} e^{-j\beta_3 d} \\ \frac{1}{\eta_3} e^{-j\beta_3 d} \end{pmatrix} E_3^+$$

For medium 1:

$$\mathbf{E}_1 = \mathbf{a}_x (E_{i0} e^{-j\beta_1 z} + E_{r0} e^{+j\beta_1 z})$$

$$\mathbf{H}_1 = \mathbf{a}_y \frac{1}{\eta_1} (E_{i0} e^{-j\beta_1 z} - E_{r0} e^{+j\beta_1 z})$$

For medium 2:

$$\mathbf{E}_2 = \mathbf{a}_x (E_2^+ e^{-j\beta_2 z} + E_2^- e^{+j\beta_2 z})$$

$$\mathbf{H}_2 = \mathbf{a}_y \frac{1}{\eta_2} (E_2^+ e^{-j\beta_2 z} - E_2^- e^{+j\beta_2 z})$$

For medium 3:

$$\mathbf{E}_3 = \mathbf{a}_x E_3^+ e^{-j\beta_3 z}$$

$$\mathbf{H}_3 = \mathbf{a}_y \frac{1}{\eta_3} E_3^+ e^{-j\beta_3 z}$$

Normal Incidence at Multiple Dielectric Interfaces (3)

Boundary conditions:

$$\begin{aligned}\rightarrow \begin{pmatrix} E_2^+ \\ E_2^- \end{pmatrix} &= \begin{pmatrix} e^{-j\beta_2 d} & e^{+j\beta_2 d} \\ \frac{1}{\eta_2} e^{-j\beta_2 d} & -\frac{1}{\eta_2} e^{+j\beta_2 d} \end{pmatrix}^{-1} \begin{pmatrix} e^{-j\beta_3 d} \\ \frac{1}{\eta_3} e^{-j\beta_3 d} \end{pmatrix} E_3^+ \\ &= -\frac{\eta_2}{2} \begin{pmatrix} -\frac{1}{\eta_2} e^{+j\beta_2 d} & -e^{+j\beta_2 d} \\ -\frac{1}{\eta_2} e^{-j\beta_2 d} & e^{-j\beta_2 d} \end{pmatrix} \begin{pmatrix} e^{-j\beta_3 d} \\ \frac{1}{\eta_3} e^{-j\beta_3 d} \end{pmatrix} E_3^+ \\ &= \begin{pmatrix} \frac{1}{2} e^{+j\beta_2 d} & \frac{\eta_2}{2} e^{+j\beta_2 d} \\ \frac{1}{2} e^{-j\beta_2 d} & -\frac{\eta_2}{2} e^{-j\beta_2 d} \end{pmatrix} \begin{pmatrix} e^{-j\beta_3 d} \\ \frac{1}{\eta_3} e^{-j\beta_3 d} \end{pmatrix} E_3^+\end{aligned}$$

Recall the B.C. at $z = 0$:

$$\rightarrow \boxed{\begin{pmatrix} 1 & 1 \\ \frac{1}{\eta_1} & -\frac{1}{\eta_1} \end{pmatrix} \begin{pmatrix} E_{i0} \\ E_{r0} \end{pmatrix} = \begin{pmatrix} 1 & 1 \\ \frac{1}{\eta_2} & -\frac{1}{\eta_2} \end{pmatrix} \begin{pmatrix} E_2^+ \\ E_2^- \end{pmatrix}}$$

Normal Incidence at Multiple Dielectric Interfaces (3)

Boundary conditions:

$$\begin{aligned}
 & \rightarrow \begin{pmatrix} 1 & 1 \\ \frac{1}{\eta_1} & -\frac{1}{\eta_1} \end{pmatrix} \begin{pmatrix} E_{i0} \\ E_{r0} \end{pmatrix} = \begin{pmatrix} 1 & 1 \\ \frac{1}{\eta_2} & -\frac{1}{\eta_2} \end{pmatrix} \begin{pmatrix} \frac{1}{2} e^{+j\beta_2 d} & \frac{\eta_2}{2} e^{+j\beta_2 d} \\ \frac{1}{2} e^{-j\beta_2 d} & -\frac{\eta_2}{2} e^{-j\beta_2 d} \end{pmatrix} \begin{pmatrix} 1 \\ \frac{1}{\eta_3} \end{pmatrix} E_3^+ e^{-j\beta_3 d} \\
 & \hspace{15em} \begin{matrix} \xrightarrow{\hspace{10em}} \\ \xrightarrow{\hspace{10em}} \end{matrix} \begin{pmatrix} E_2^+ \\ E_2^- \end{pmatrix} \\
 & = \begin{pmatrix} 1 & 1 \\ \frac{1}{\eta_2} & -\frac{1}{\eta_2} \end{pmatrix} \begin{pmatrix} \frac{1}{2} e^{+j\beta_2 d} + \frac{\eta_2}{2\eta_3} e^{+j\beta_2 d} \\ \frac{1}{2} e^{-j\beta_2 d} - \frac{\eta_2}{2\eta_3} e^{-j\beta_2 d} \end{pmatrix} E_3^+ e^{-j\beta_3 d} \\
 & = \begin{pmatrix} \frac{1}{2} e^{+j\beta_2 d} + \frac{\eta_2}{2\eta_3} e^{+j\beta_2 d} + \frac{1}{2} e^{-j\beta_2 d} - \frac{\eta_2}{2\eta_3} e^{-j\beta_2 d} \\ \frac{1}{\eta_2} \left[\frac{1}{2} e^{+j\beta_2 d} + \frac{\eta_2}{2\eta_3} e^{+j\beta_2 d} - \frac{1}{2} e^{-j\beta_2 d} + \frac{\eta_2}{2\eta_3} e^{-j\beta_2 d} \right] \end{pmatrix} E_3^+ e^{-j\beta_3 d} \\
 & = \begin{pmatrix} \cos \beta_2 d + j \frac{\eta_2}{\eta_3} \sin \beta_2 d \\ \frac{1}{\eta_2} \left[j \sin \beta_2 d + \frac{\eta_2}{\eta_3} \cos \beta_2 d \right] \end{pmatrix} E_3^+ e^{-j\beta_3 d}
 \end{aligned}$$

Normal Incidence at Multiple Dielectric Interfaces (4)

Boundary conditions:

$$\begin{aligned}
 \begin{pmatrix} 1 & 1 \\ \frac{1}{\eta_1} & -\frac{1}{\eta_1} \end{pmatrix} \begin{pmatrix} E_{i0} \\ E_{r0} \end{pmatrix} &= \begin{pmatrix} \cos \beta_2 d + j \frac{\eta_2}{\eta_3} \sin \beta_2 d \\ \frac{1}{\eta_2} [j \sin \beta_2 d + \frac{\eta_2}{\eta_3} \cos \beta_2 d] \end{pmatrix} E_3^+ e^{-j\beta_3 d} \\
 &= \begin{pmatrix} 1 \\ \frac{1}{\eta_2} \frac{\eta_3 \cos \beta_2 d + j \eta_2 \sin \beta_2 d}{\eta_2 \cos \beta_2 d + j \eta_3 \sin \beta_2 d} \end{pmatrix} E_3^+ e^{-j\beta_3 d} (\cos \beta_2 d + j \frac{\eta_2}{\eta_3} \sin \beta_2 d) \\
 &= \begin{pmatrix} 1 \\ \frac{1}{\eta_2} \frac{\eta_3 \cos \beta_2 d + j \eta_2 \sin \beta_2 d}{\eta_2 \cos \beta_2 d + j \eta_3 \sin \beta_2 d} \end{pmatrix} E_3^+ \quad \rightarrow \Gamma_0 = \frac{E_{r0}}{E_{i0}} = \frac{\eta_2' - \eta_1}{\eta_2' + \eta_1} \\
 &\quad \rightarrow \eta_2'
 \end{aligned}$$


Recall:

$$\begin{pmatrix} 1 & 1 \\ \frac{1}{\eta_1} & -\frac{1}{\eta_1} \end{pmatrix} \begin{pmatrix} E_{i0} \\ E_{r0} \end{pmatrix} = \begin{pmatrix} 1 \\ \frac{1}{\eta_2} \end{pmatrix} E_{i0} \quad \rightarrow \Gamma = \frac{\eta_2 - \eta_1}{\eta_2 + \eta_1} \leftarrow \text{Reflection coefficient}$$

\leftarrow B.C. for the normal incidence at a plane dielectric boundary

Impedance Transformation with Multiple Dielectrics

Seen from this end:




Wave impedance of the total field:

$$\eta'_2 = \eta_2 \frac{\eta_3 \cos \beta_2 d + j \eta_2 \sin \beta_2 d}{\eta_2 \cos \beta_2 d + j \eta_3 \sin \beta_2 d} = \frac{\text{Total } E_x}{\text{Total } H_y} \Big|_{z=0} \equiv Z(0)$$

D. K. Cheng, Field and Wave Electromagnetics, 2nd ed., Addison-Wesley, 1989.

Note that the wave impedance is a function of η_2 , η_3 , & d .



We can transform η_3 to η'_2 with a variety of choices of η_2 & d .

$\eta'_2 \rightarrow \eta_1 \rightarrow$ No reflection \rightarrow Impedance matched