Ecosystem

Ecosystem

- Terminologies related to ecosystems
- Human influence on ecosystems
- Energy and mass flow
- Bioaccumulation
- Nutrient cycle
- Ecosystem example lake ecosystem

Some terminologies

 Ecosystem: community of organisms that interact with one another and with their physical environment

 Habitat: the place where a population of organisms lives

 Population: a group of organisms of the same species living in the same place at the same time

Human influence on ecosystems

- Destruction of the habitat
 - deforestration, dam construction, road construction, etc.
- Changes in species population
 - can result in local and global extinction
 - release of toxic chemicals (ex: DDT, petroleum compounds, heavy metals)
 - shifting living conditions: acid rain, global warming, eutrophication, etc.
 - introduction of nonnative (exotic) species
 - excessive hunting

DDT and Silent Spring

SILENT SPRING Rachel Carson

1874: DDT first synthesized by O. Zeidler

1939: P. H. Müller discovered the insect killing ability and won Nobel Prize (1948)


1940s: Widely used as an insecticide (especially for lice-Typhus and mosquito-malaria)


1962: Rachel Carson published "Silent Spring" - described how DDT accumulates in organisms and affect wildlife

1960s: Environmental scientists published researches to support R. Carson's argument (egg shell thinning by DDT)


1972: DDT banned in the U.S.

- Important feature of an ecosystem:
 - Flow of matter into, out of, and within the system
 - Magnitude of internal cycling ↑, flow in & out ↓
 cf) man-made systems: internal cycling ↓, flow in & out ↑





<Ecological pyramid example>



<Food web example>

Primary producers

- Major source of energy for an ecosystem: sunlight
- Major source of carbon (essential element for organic matter) for an ecosystem: CO₂
- Primary producers can use sunlight and CO₂ (or HCO₃⁻) to produce organic matter that contains energy in a chemical form:

<Photosynthesis>

$$6CO_2 + 6H_2O + \text{sunlight (2800 kJ)} \xrightarrow{\text{chlorophyll}} C_6H_{12}O_6 + 6O_2$$

 Organisms that obtain carbon from inorganic sources and use sunlight as an energy source is called "photoautotrophic"

- Classification of organisms based on energy / carbon source
 - Based on energy source
 - Phototrophs: light
 - Chemotrophs: organic or inorganic compounds
 - Chemolithotrophs: inorganic
 - Chemoorganotrophs: organic
 - Based on carbon source
 - Autotrophs: inorganic C (CO₂ or HCO₃⁻)
 - Heterotrophs: organic C

Q: classification of (primary, secondary, tertiary, ...) consumers?

A: chemoorganotrophs, heterotrophs

Respiration

- A process of oxidizing organic compounds so that the chemical energy stored can be released
- The energy released is used to derive other reactions (ex: cell metabolism and growth)

<Aerobic respiration>

$$C_6H_{12}O_6 + 6O_2 \longrightarrow 6CO_2 + 6H_2O + energy$$

- Requires an oxidizing agent to oxidize an organic compound by the redox reaction: called "electron acceptors"
- Some organisms can use electron acceptors other than O₂

- Other electron acceptors: nitrate (NO_3^-) , nitrite (NO_2^-) , sulfate (SO_4^{2-}) , ferric ion (Fe^{3+}) , CO_2 , organic compounds
- Classification of organisms based on living in the presence/absence of O₂

: Aerobes / Anaerobes

- Obligate aerobes: can survive only in the presence of O₂
- Facultative (an)aerobes: can use O₂ and other electron acceptor(s)
- Aerotolerant anaerobes: cannot use O_2 , but can survive in the presence of O_2
- Obligate anaerobes: cannot survive in the presence of O₂

Q: classification of human?

A: obligate aerobe

Bioaccumulation

- Some chemicals have significantly higher affinity to some part of organisms than to the environment (water, air, soil, etc.)
 - ex) hydrophobic compounds have very high affinity to lipids than to water
- If chemical gain > loss for an organism, then the chemical may be accumulated within the body
- The chemical accumulation may occur more significantly for higher trophic level organisms


Terminologies related to bioaccumulation

- Bioaccumulation: total uptake of chemicals by an organism from either water or food
- **Biomagnification**: a process that results in accumulation of a chemical in an organism at higher levels than are found in its own food

Bioconcentration: the uptake of chemicals from the dissolved phase


Biomagnification in aquatic food web

<PCBs in Great Lakes aquatic food web>



Nutrient cycle: C cycle


 Essential element: building block of life & life-sustaining chemicals



- Relevant processes
- carbon cycling in the biosphere:photosynthesis,respiration, predation
- ocean as a major carbon sink: solubility pump and biological pump
- fossil fuel combustion:
 significant input of CO₂
 by humans
- dissolution of carbonate rocks

Nutrient cycle: N cycle

- Critical element for all life (protein)
- N_2 in the air: abundant, but not easily available to organisms



- Relevant processes
- nitrification

$$NH_4^+ + 2O_2 = NO_3^- + 2H^+ + H_2O$$

- denitrification

$$2NO_3^- + organic C = N_2 + CO_2 + H_2O$$

- nitrogen fixation

$$N_2 + 8e^- + 8H^+ + ATP \rightarrow$$


 $2NH_3 + H_2 + ADP + inorganic P$

- significant human contribution:

$$N_2 + 3H_2 \rightarrow 2NH_3$$

Nutrient cycle: P cycle


- Another essential nutrient (DNA, RNA, ATP)
- Very <u>slow</u> cycling: moves slowly through the soil and ocean



- Relevant processes
- natural source: input from mineral weathering
- human contribution can be significant (fertilizer, detergent, etc.)
- uptake by plants and algae in a soluble inorganic form (HPO₄²⁻, PO₄³⁻, etc.)
- loss by sediment burial

Lakes: seasonal changes in stratification





Lake productivity

- A measure of a lake's ability to support aquatic life (a more productive lake has a higher biomass concentration)
- Controlled by the limiting factor ("Liebig's law of the minimum"*)

* Liebig's law of the minimum: growth is controlled not by the total amount of the resources available, but by the scarcest resource (limiting factor).

Recall: C, H, O, N, S, P, K, Ca, Mg, Fe


Eutrophication of lakes


 Natural eutrophication: A natural aging process of a lake; may take over thousands of years (an unpolluted lake)

• **Cultural eutrophication**: accelerated eutrophication through the introduction of high levels of nutrients (a polluted lake)


Natural eutrophication

Oligotrophic lake low productivity, clear water





Eutrophic lakehigh productivity,
turbid water



lake productivity increases over time

Cultural eutrophication

- Caused by the introduction of high levels of N and P (usually P for lakes and N for coastal waters)
- Sources of nutrients
 - human waste (sewage)
 - animal waste
 - agricultural sites



Effect of cultural eutrophication


Algal bloom

- high algae biomass: taste and odor problems, aesthetic problem
- deposition of dead algae: oxygen depletion in the bottom
- harmful algal bloom: some algal species produce toxic materials (ex: microcystin by cyanobacteria)
- fish kills by O₂ depletion and toxic compounds,
 and clogging by algae

Reading assignment


• Textbook Ch5 p. 190-225


추석특선 #1



추석특선 #2

- 1. etl.snu.ac.kr 접속
- 2. SNUON → 강좌 목록
- 3. "환경공학" 검색
- 4. 환경공학(2016) 선택
- 5. 수강신청
- 6. 다음 동영상강좌 수강
- 1) 위해도(risk) 2세션 위해성평가 과정 및 위해도 관리
- 2) 수문학 1, 2, 3세션 모두
- 7. 10/4 (수) 수업시간 내용보충(Q&A) 및 퀴즈





검색 후 강좌 선택



* 해당 동영상강좌의 강의자료는 eTL 수업 자료실에 업로드 예정