

Intro to DB

# CHAPTER 2


# RELATIONAL MODEL

# Chapter 2: Relational Model


- Structure of Relational Databases
- Database Schema
- Keys
- Schema Diagrams
- Relational Query Languages
- Relational Operations

# Data Model

- The framework/formalism for representing data and their relationships




# Data Model



# Data Model

Keys	Column familes		
a	colA:value1	colFoo:a value	fram:zilk
b	colA:value1	colB:a value	♔: chesspiece
bb	colA:value1	colB:	colFoo:a value ♪: 🎸
c	colA:☺	colBaz:anything	colFoo:a value


# Data Model



Sheet1 - Microsoft Excel

	A	B	C	D	E	F	G	H	I	J
1	EMP_ID	JOB_ID	DPT_MANAGER	EMP_DEPT	LOCATION_ID	COUNTRY_ID	EMP_NAME	EMP_SALARY	COMMISSION_PCT	DPT_NAME
2	77514063	AC_ACCOUNT	48748339	LI	6	LT	KATHY ABELLERA	650166.01	0.44	Library Interloan (ext 6514) (see Library Information Services Team)
3	21328077	AC_ACCOUNT	48748339	LI	6	LT	JEREMIAH DINETZ	186958.24	0.26	Library Interloan (ext 6514) (see Library Information Services Team)
4	63114872	AC_ACCOUNT	48748339	LI	6	LT	WENDALEE BURNETT	683337.14	0.47	Library Interloan (ext 6514) (see Library Information Services Team)
5	22447298	AC_ACCOUNT	48748339	LI	6	LT	MISSY KOWAL	413672.3	0.06	Library Interloan (ext 6514) (see Library Information Services Team)
6	42823120	AC_ACCOUNT	48748339	LI	6	LT	JEHU POWNELL	878187.64	0.44	Library Interloan (ext 6514) (see Library Information Services Team)
7	73022131	AC_ACCOUNT	48748339	LI	6	LT	BAZE WALTON	231658.56	0.16	Library Interloan (ext 6514) (see Library Information Services Team)
8	30206729	AC_ACCOUNT	48748339	LI	6	LT	DEE TOOF	593010.32	0.6	Library Interloan (ext 6514) (see Library Information Services Team)
9	68388930	AC_ACCOUNT	48748339	LI	6	LT	MURRAY WALEN	274527.68	0.56	Library Interloan (ext 6514) (see Library Information Services Team)
10	52994681	AC_ACCOUNT	48748339	LI	6	LT	TODD CORNELL	366530.46	0.59	Library Interloan (ext 6514) (see Library Information Services Team)
11	85531859	AC_ACCOUNT	48748339	LI	6	LT	CRAIG HARRINGTON	207694.73	0.14	Library Interloan (ext 6514) (see Library Information Services Team)
12	99625806	AC_ACCOUNT	48748339	LI	6	LT	DALIA DEROSIER	788803.05	0.44	Library Interloan (ext 6514) (see Library Information Services Team)
13	85952542	AC_ACCOUNT	48748339	LI	6	LT	JERAMY CAMPISE	92348.6	0.48	Library Interloan (ext 6514) (see Library Information Services Team)
14	90514846	AC_ACCOUNT	48748339	LI	6	LT	ERV BRODSHO	674926	0.46	Library Interloan (ext 6514) (see Library Information Services Team)
15	10293371	AC_ACCOUNT	48748339	LI	6	LT	RODGER WAKEFIELD	521169.69	0.6	Library Interloan (ext 6514) (see Library Information Services Team)
16	93331872	AC_ACCOUNT	48748339	LI	6	LT	GEODIE ROEHL	607693.22	0.7	Library Interloan (ext 6514) (see Library Information Services Team)
17	38996915	AC_ACCOUNT	48748339	LI	6	LT	BRUCE BULAGA	346979.22	0.68	Library Interloan (ext 6514) (see Library Information Services Team)
18	95488542	AC_ACCOUNT	48748339	LI	6	LT	EDWARD JOSEPH	405804.03	0.39	Library Interloan (ext 6514) (see Library Information Services Team)
19	43800025	AC_ACCOUNT	48748339	LI	6	LT	BRIAN FURNO	652747.04	0.3	Library Interloan (ext 6514) (see Library Information Services Team)
20	22735685	AC_ACCOUNT	48748339	LI	6	LT	VERMELL DRESSER	426205.82	0.71	Library Interloan (ext 6514) (see Library Information Services Team)
21	11249307	AC_ACCOUNT	48748339	LI	6	LT	EILEEN GILBERTSON	600265.45	0.27	Library Interloan (ext 6514) (see Library Information Services Team)
22	30157047	AC_ACCOUNT	48748339	LI	6	LT	ANGELIA HOWETH	94186.38	0.33	Library Interloan (ext 6514) (see Library Information Services Team)
23	62528105	AC_ACCOUNT	48748339	LI	6	LT	KASEY STRAMANDINOLI	718647.7	0.57	Library Interloan (ext 6514) (see Library Information Services Team)
24	64880465	AC_ACCOUNT	48748339	LI	6	LT	GRAIG DOWNER	618324.31	0.5	Library Interloan (ext 6514) (see Library Information Services Team)
25	68221632	AC_ACCOUNT	48748339	LI	6	LT	OCTAVIA LAMOREAUX	372831.78	0.37	Library Interloan (ext 6514) (see Library Information Services Team)
26	87701077	AC_ACCOUNT	48748339	LI	6	LT	AUTUMN BOLTON	531229.73	0.63	Library Interloan (ext 6514) (see Library Information Services Team)
27	33066033	AC_ACCOUNT	48748339	LI	6	LT	BRENT BOUCHER	530360.81	0.67	Library Interloan (ext 6514) (see Library Information Services Team)

# Data Model - Relational



The diagram shows a table with four columns: *ID*, *name*, *dept\_name*, and *salary*. The first row of data is highlighted. Annotations with arrows point to the columns from the text "attributes (or columns)" and to the first three columns of the first data row from the text "tuples (or rows)".

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
10101	Srinivasan	Comp. Sci.	65000
12121	Wu	Finance	90000
15151	Mozart	Music	40000
22222	Einstein	Physics	95000
32343	El Said	History	60000
33456	Gold	Physics	87000
45565	Katz	Comp. Sci.	75000
58583	Califieri	History	62000
76543	Singh	Finance	80000
76766	Crick	Biology	72000
83821	Brandt	Comp. Sci.	92000
98345	Kim	Elec. Eng.	80000

# Relation (in Set Theory)

- **Binary relation**  $R$  on a set  $A$   
is a collection of ordered pairs of elements of  $A$
- $R \subseteq A \times A$
- *(Bipartite) Relation*  $R_2$  between elements of set  $B$  and set  $C$



# Basic Structure of a Relation

- Formally,  
given sets  $D_1, D_2, \dots, D_n$  a *relation*  $r$  is a *subset* of  $D_1 \times D_2 \times \dots \times D_n$

or

- Example:  
 $customer\text{-}name = \{\text{Jones, Smith, Curry, Lindsay}\}$   
 $customer\text{-}street = \{\text{Main, North, Park}\}$   
 $customer\text{-}city = \{\text{Harrison, Rye, Pittsfield}\}$

Then  $r = \{ (\text{Jones, Main, Harrison}), (\text{Smith, North, Rye}),$   
 $(\text{Curry, North, Rye}), (\text{Lindsay, Park, Pittsfield}) \}$

is a relation over  $customer\text{-}name \times customer\text{-}street \times customer\text{-}city$

# Attribute Types

- Each attribute of a relation has a name
- The set of allowed values for each attribute is called the **domain** of the attribute
- that is, indivisible


  - E.g. multivalued attribute values are not atomic
  - E.g. composite attribute values are not atomic
- 
- The null value causes complications in the definition of many operations
  - we shall ignore the effect of null values in our main presentation and consider their effect later

# Relation Schema

- $A_1, A_2, \dots, A_n$  are *attributes*
- $R = (A_1, A_2, \dots, A_n)$  is a *relation schema*


A large, empty rectangular box with a thin blue border, likely intended for a diagram or example related to the relation schema.

- $r(R)$  is a *relation (variable)* on the *relation schema*  $R$

A large, empty rectangular box with a thin blue border, likely intended for a diagram or example related to the relation variable.

# Relation Instance

- The current values (*relation instance*) of a relation are specified by a table
- represented by a *row* in a table



# Relations are Unordered

- Order of tuples is irrelevant

- E.g. *instructor* relation with unordered tuples

<i>ID</i>	<i>name</i>	<i>dept_name</i>	<i>salary</i>
22222	Einstein	Physics	95000
12121	Wu	Finance	90000
32343	El Said	History	60000
45565	Katz	Comp. Sci.	75000
98345	Kim	Elec. Eng.	80000
76766	Crick	Biology	72000
10101	Srinivasan	Comp. Sci.	65000
58583	Califieri	History	62000
83821	Brandt	Comp. Sci.	92000
15151	Mozart	Music	40000
33456	Gold	Physics	87000
76543	Singh	Finance	80000

# Relational Database

- 

- Information about an enterprise is broken up into parts, with each relation storing one part of the information

E.g.: *instructor*: information about teachers in the university

*student*: information about students

*advisor*: information about which instructor advises which students

- Storing all information as a single relation is not a good idea

*univ (instructor -ID, name, dept\_name, salary, student\_Id, ..)*

- 

schemas

deals with how to decide on the relational

# A relational database for a university

ID	name	dept_name	salary
22222	Einstein	Physics	95000
12121	Wu	Finance	90000
32343	El Said	History	60000
45565	Kate	Comp. Sci.	75000

	<i>course_id</i>	<i>title</i>	<i>dept_name</i>	<i>credits</i>
98341	BIO-101	Intro. to Biology	Biology	4
76766	BIO-301	Genetics	Biology	4
10101	BIO-399	Computational Biology	Biology	3
58581	CS-101	Intro. to Computer Science	Comp. Sci.	4
83821	CS-190	Game Design	Comp. Sci.	4

8382	CS-190	Game Design	course_id	sec_id	semester	year	building	room_number	time_slot_id
1515	CS-315	Robotics	BIO-101	1	Summer	2009	Painter	514	B
33456	CS-319	Image Processing	BIO-301	1	Summer	2010	Painter	514	A
76543	CS-347	Database Systems	CS-101	1	Fall	2009	Packard	101	H
	EE-181	Intro. to Digital Systems	CS-101	1	Spring	2010	Packard	101	F

	FIN-201	Investment Management	CS-190	1	Spring	2009	Taylor	3128
	HIS-351	World History	CS-190	2	Spring	2009	Taylor	3128
	MU-199	Music Video Production	CS-315	1	Spring	2010	Watson	120
	PHY-101	Physical Principles	CS-319	1	Spring	2010	Watson	100
			CS-319	2	Spring	2010	Taylor	3128
			CS-347	1	Fall	2009	Taylor	3128
			EE-181	1	Spring	2009	Taylor	3128
			FIN-201	1	Spring	2010	Packard	101
			HIS-351	1	Spring	2010	Painter	514
			MU-199	1	Spring	2010	Packard	101
			PHY-101	1	Fall	2009	Watson	100

course_id	prereq_id
BIO-301	BIO-101
BIO-399	BIO-101
CS-190	CS-101
CS-315	CS-101
CS-319	CS-101
CS-347	CS-101
EE-181	PHY-101

dept_name	building	budget
Biology	Watson	90000
Comp. Sci.	Taylor	100000
Elec. Eng.	Taylor	85000
Finance	Painter	120000
History	Painter	50000
Music	Packard	80000
Physics	Watson	70000

ID	course_id	sec_id	semester	year
10101	CS-101	1	Fall	2009
10101	CS-315	1	Spring	2010
10101	CS-347	1	Fall	2009
12121	FIN-201	1	Spring	2010
15151	MU-199	1	Spring	2010
22222	PHY-101	1	Fall	2009
32343	HIS-351	1	Spring	2010
45565	CS-101	1	Spring	2010
45565	CS-319	1	Spring	2010
76766	BIO-101	1	Summer	2009
76766	BIO-301	1	Summer	2010
83821	CS-190	1	Spring	2009
83821	CS-190	2	Spring	2009
83821	CS-319	2	Spring	2010
98345	EE-181	1	Spring	2009

# Keys

- Let  $K \subseteq R$
- $K$  is a *superkey* of  $R$

- By “possible  $r$ ” we mean a relation  $r$  that could exist in the enterprise we are modeling.
  - Example:  $\{customer-name, customer-street\}$  and  $\{customer-name\}$   
are both superkeys of *Customer*, if no two customers can possibly have the same name.
- $K$  is a *candidate key*
  - Example:  $\{customer-name\}$  is a candidate key for *Customer*, since it is a superkey, and no subset of it is a superkey.




# Keys


- **Primary key:**  is selected to be the primary key of the table
  - which one?
- **Foreign key:** Value in one relation must appear in another
  - **Referencing** relation
  - **Referenced** relation

<i>course_id</i>	<i>prereq_id</i>
BIO-301	BIO-101
BIO-399	BIO-101
CS-190	CS-101
CS-315	CS-101
CS-319	CS-101
CS-347	CS-101
EE-181	PHY-101

# Schema Diagram for a Banking Enterprise



# Schema Diagram for the University



# Query Languages

- Language in which user requests information from the database.
  - procedural
    -
  - nonprocedural
    -
- “Pure” languages:
  - Relational Algebra
  - Tuple Relational Calculus
  - Domain Relational Calculus
- Pure languages form underlying basis of query languages that people use.

# Relational Algebra

- Algebra :

- Relational algebra

- operands : relations

- operators : basic operators (+ additional operations)

- take two or more relations as inputs and give a new relation as a result.

- 

- Operators

- select

join

- project

division

- union

assignment

- set difference

...

- Cartesian product

- rename

# Examples of Relational Operators

Symbol (Name)	Example of Use
$\sigma$ (Selection)	$\sigma_{\text{salary} \geq 85000}(\text{instructor})$
	Return rows of the input relation that satisfy the predicate.
$\Pi$ (Projection)	$\Pi_{ID, salary}(\text{instructor})$
	Output specified attributes from all rows of the input relation. Remove duplicate tuples from the output.
$\bowtie$ (Natural Join)	$\text{instructor} \bowtie \text{department}$
	Output pairs of rows from the two input relations that have the same value on all attributes that have the same name.
$\times$ (Cartesian Product)	$\text{instructor} \times \text{department}$
	Output all pairs of rows from the two input relations (regardless of whether or not they have the same values on common attributes)
$\cup$ (Union)	$\Pi_{name}(\text{instructor}) \cup \Pi_{name}(\text{student})$
	Output the union of tuples from the two input relations.

# Select Operation – selection of tuples

Relation  $r$ :

$A$	$B$	$C$	$D$
$\alpha$	$\alpha$	1	7
$\alpha$	$\beta$	5	7
$\beta$	$\beta$	12	3
$\beta$	$\beta$	23	10

$\sigma_{A=B \wedge D>5}(r)$ :

$A$	$B$	$C$	$D$
$\alpha$	$\alpha$	1	7
$\beta$	$\beta$	23	10

# Project Operation – selection of columns

- Relation  $r$ :

$A$	$B$	$C$
$\alpha$	10	1
$\alpha$	20	1
$\beta$	30	1
$\beta$	40	2

$\Pi_{A,C}(r)$

$A$	$C$
$\alpha$	1
$\alpha$	1
$\beta$	1
$\beta$	2

=

$A$	$C$
$\alpha$	1
$\beta$	1
$\beta$	2



# Union Operation – merging two relations

- Relations  $r, s$ :

$A$	$B$
$\alpha$	1
$\alpha$	2
$\beta$	1

$r$

$A$	$B$
$\alpha$	2
$\beta$	3

$s$

- $r \cup s$ :

$A$	$B$
$\alpha$	1
$\alpha$	2
$\beta$	1
$\beta$	3

# Set Difference Operation

- Relations  $r, s$ :

$A$	$B$
-----	-----

$\alpha$	1
$\alpha$	2
$\beta$	1

$r$

$A$	$B$
-----	-----

$\alpha$	2
$\beta$	3

$s$

- $r - s$ :

$A$	$B$
-----	-----

$\alpha$	1
$\beta$	1

# Set-Intersection Operation

- Relation  $r, s$ :

A	B
$\alpha$	1
$\alpha$	2
$\beta$	1

$r$

A	B
$\alpha$	2
$\beta$	3

$s$

- $r \cap s$

A	B
$\alpha$	2

# Joining two relations: Cartesian-Product Op.

- Relations  $r$ ,  $s$ :

$r$

$A$	$B$
$\alpha$	1
$\beta$	2

$s$

$C$	$D$	$E$
$\alpha$	10	$a$
$\beta$	19	$a$
$\beta$	20	$b$
$\gamma$	10	$b$

- $r \times s$ :

$A$	$B$	$C$	$D$	$E$
$\alpha$	1	$\alpha$	10	$a$
$\alpha$	1	$\beta$	19	$a$
$\alpha$	1	$\beta$	20	$b$
$\alpha$	1	$\gamma$	10	$b$
$\beta$	2	$\alpha$	10	$a$
$\beta$	2	$\beta$	19	$a$
$\beta$	2	$\beta$	20	$b$
$\beta$	2	$\gamma$	10	$b$

# Joining two relations: Natural-Join Operation

- Relations  $r$ ,  $s$ :

$r$

$A$	$B$	$C$	$D$
$\alpha$	1	$\alpha$	a
$\beta$	2	$\gamma$	a
$\gamma$	4	$\beta$	b
$\alpha$	1	$\gamma$	a
$\delta$	2	$\beta$	b

$s$

$B$	$D$	$E$
1	a	$\alpha$
3	a	$\beta$
1	a	$\gamma$
2	b	$\delta$
3	b	$\epsilon$

- $r \bowtie s$

$A$	$B$	$C$	$D$	$E$
$\alpha$	1	$\alpha$	a	$\alpha$
$\alpha$	1	$\alpha$	a	$\gamma$
$\alpha$	1	$\gamma$	a	$\alpha$
$\alpha$	1	$\gamma$	a	$\gamma$
$\delta$	2	$\beta$	b	$\delta$

# Composition of Operations

- Can build expressions using multiple operations
- Example:  $\sigma_{A=C}(r \times s)$
- $r \times s$

A	B	C	D	E
$\alpha$	1	$\alpha$	10	a
$\alpha$	1	$\beta$	19	a
$\alpha$	1	$\beta$	20	b
$\alpha$	1	$\gamma$	10	b
$\beta$	2	$\alpha$	10	a
$\beta$	2	$\beta$	19	a
$\beta$	2	$\beta$	20	b
$\beta$	2	$\gamma$	10	b

- $\sigma_{A=C}(r \times s)$

A	B	C	D	E
$\alpha$	1	$\alpha$	10	a
$\beta$	2	$\beta$	19	a
$\beta$	2	$\beta$	20	b

$r$

A	B
$\alpha$	1
$\beta$	2

$s$

C	D	E
$\alpha$	10	a
$\beta$	19	a
$\beta$	20	b
$\gamma$	10	b

**END OF CHAPTER 2**